Document Identifier: **PMC8221703**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The study was approved by all participating institutional review boards, and all study participants gave informed consent.
Consent: The study was approved by all participating institutional review boards, and all study participants gave informed consent.
Inclusion and Exclusion Criteria
Inclusion and exclusion criteria are described more extensively elsewhere.
Attrition
not detected.
Sex as a biological variable
24 In this post hoc analysis, based on previous studies, we defined hyperuricemia as serum uric acid levels 7.0 mgdl in men and 6.0 mgdl in women.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
This is a 24-month, multicenter, prospective, randomized, open-label, and blind end-point trial conducted between June 2011 and September 2012 (University hospital Medical Information Network Center: ID 000004490).
Blinding
This is a 24-month, multicenter, prospective, randomized, open-label, and blind end-point trial conducted between June 2011 and September 2012 (University hospital Medical Information Network Center: ID 000004490).
Power Analysis
not detected.

Replication
not required.
Data Information
Availability: Materials and methods Study design The present study is a post hoc analysis based on data available from the PROLOGUE study.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
31,32 All statistical analyses were conducted using the SPSS Statistics Software for Windows, version 26.0 a two-tailed p value < 0.05 was considered statistically significant.	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical analysis For continuous variables that conform to the normal distribution, the mean +- standard deviation (SD) is used to represent and compared using a Students t test.	Students t test
Categorical variables were summarized as frequencies () and differences were compared using the chi-square test.	chi-square test
To compare changes in uric acid levels at different time points in each treatment group, a repeated-measures analysis of variance was used.	analysis of variance
We used analysis of covariance, with the corresponding baseline measured parameters as covariates, to assess the baseline adjusted mean of each parameter.	analysis of covariance

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq