Document Identifier: **PMC8221981**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: This study followed the STROBE statement and has been approved by the internal ethics committee of the Federal University of Para (report 141.605).
Consent: Participants gave their written informed consent.
Inclusion and Exclusion Criteria
Participants with no cognitive ability to understand the tasks, with other neurological or orthopedic comorbidities or under antispastic medication at the time of the study were excluded.
Attrition
17 A custom developed routine in MATLAB (Matlab 2008a
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
Procedures Clinical assessment Researchers were blinded to the type of stroke when performing all procedures and assessed the patients on the Stroke Impact Scale and with Timed Up and Go Test , by the time of admission to physiotherapy (pre-physiotherapy) and after the treatment (post-physiotherapy) .
Power Analysis
not detected.
Replication

not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
17 A custom developed routine in MATLAB (Matlab 2008a	MATLAB		Suggestion: MATLAB, RRID:SCR_001622(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical comparisons were made with unpaired t test (Stroke Impact Scale , Age , Height and Weight) and Mann-Whitney test (Timed Up and Go Test , Last Episode , Last Physio , Brunnstom stage and Berg Balance Scale) .	t test
	Mann-Whitney test
The average values obtained during the MVC tests was used for normalization of each muscles activation signal.	MVC tests
Shapiro-Wilk test was performed to test the data normality.	Shapiro-Wilk test
Parametric variables were compared between groups using the Students t -test (i.e., Stroke Impact Scale, Sex, Age, Height, Weight and Berg Balance Scale).	t -test
Non-normally distributed Outcomes were compared using Wilcoxon-Mann-Whitney (i.e., Timed Up and Go test, Last Episode, Last Physio and Brunnstom stage).	Wilcoxon-Mann-Whitney
In addition, a two-way analysis of variance (ANOVA) was conducted on the influence of the group and stage on the Stroke Impact Scale, Timed Up and Go Test and all electromyographic gait variables.	analysis of variance
	ANOVA
Post-hoc analyses were done with Tukey HSD tests when necessary.	Tukey HSD tests

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq