Document Identifier: **PMC8223634**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: The study was performed according to the guidelines described in the Declaration of Helsinki for biomedical research involving human subjects (Clinical trial registration number: University Hospital Medical Information Network 000013653), and all patients provided written informed consent.
Inclusion and Exclusion Criteria
The inclusion criteria were as follows: (1) obstruction-related symptoms, including vomiting and ingestion of only liquid or no oral intake, (2) performance status of 0-2 and (3) unresectable malignant obstruction confirmed by preceding endoscopy and histology.
Attrition
not detected.
Sex as a biological variable
Materials and methods Patients Consecutive patients who had symptomatic mGOO with unresectable malignant tumours requiring placement of a SEMS were enrolled.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
Study design This multicentre, open-label study was conducted with prospective randomisation and compared clinical outcomes and adverse events between CSEMS and UCSEMS.
Blinding
not detected.
Power Analysis
Under the assumption of a HR of 0.5, the required number of patients was calculated as 175 in each group based on the log-rank test, with a significance level of 0.05 (two-sided) and power of 0.8.
Replication

not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
All statistical analyses were performed using SPSS Statistics V.19 (IBM).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Under the assumption of a HR of 0.5, the required number of patients was calculated as 175 in each group based on the log-rank test, with a significance level of 0.05 (two-sided) and power of 0.8.	log-rank test
Continuous variables are expressed as mean+-SD and were compared using the Wilcoxon signed-rank test.	Wilcoxon signed-rank test
Categorical data are expressed as n () and were compared using Fishers exact test.	Fishers exact test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq