Document Identifier: **PMC8233220**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
not required.
Attrition
Two samples of each variety were examined, and these are labelled as JB1, JB2, JF1, JF2, JG1 and JG2 for Joubidwi, Joufinai and Jougwran respectively.
Sex as a biological variable
not detected.
Subject Demographics
Age: The length of exposure is set to 12,191 days based on average life expectancy of 48.4 years consumption from 15 years of age as estimated by WHO , 2004 5,7
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
The straw yellow coloured sample obtained after heating was allowed to cool to room temperature, filtered and diluted to 25 mL with distilled water 11,12,14. 2.3 Chemical analysis All digested samples were analysed in triplicate using ICP-OES (Inductively Coupled Plasma - Optical Emission Spectroscopy, Perkin Elmer). 2.4 Method for determination of estimated daily intake (EDI) EDI of metals for a 60 kg adult was estimated based on average consumption of 250 mL per day.

Number: The straw yellow coloured sample obtained after heating was allowed to cool to room temperature, filtered and diluted to 25 mL with distilled water 11,12,14. 2.3 Chemical analysis All digested samples were analysed in triplicate using ICP-OES (Inductively Coupled Plasma - Optical Emission Spectroscopy, Perkin Elmer). 2.4 Method for determination of estimated daily intake (EDI) EDI of metals for a 60 kg adult was estimated based on average consumption of 250 mL per day.

Data Information

Identifiers: The straw yellow coloured sample obtained after heating was allowed to cool to room temperature, filtered and diluted to 25 mL with distilled water 11,12,14. 2.3 Chemical analysis All digested samples were analysed in triplicate using ICP-OES (Inductively Coupled Plasma - Optical Emission Spectroscopy, Perkin Elmer). 2.4 Method for determination of estimated daily intake (EDI) EDI of metals for a 60 kg adult was estimated based on average consumption of 250 mL per day.	11,12,14

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq