Document Identifier: **PMC8234709**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
Inclusion criteria Articles were included if: (1) they focused on social support (2) included a clear method of how medication adherence was measured (3) addressed the association of social support and medication adherence and (4) included hypertension .
Attrition
not required.
Sex as a biological variable
Table 2 Characteristics of the included studies Ref Design of study Sociodemographic characteristics Measurement of medication adherence Age (M) Sample size Male Participants origincultural groups Duration of hypertension 22 Cross-sectional study >28y 538 39.1 Palestinian citizens- Gaza >1 year Morisky Medication Adherence Scale (MMAS-8) 30 Cross-sectional study 57.6 989 47.3 Ethiopian- Ethiopia
Subject Demographics
Age: not required.
Weight: not required.
Randomization
20 For randomized controlled trials, the following five components were assessed: (1) if the randomization was appropriately performed (2) if the groups were comparable at baseline (3) if there were complete outcome data (4) if the outcome assessors were blinded to the intervention provided (5) if the participants adhered to the assigned intervention.
Blinding
20 For randomized controlled trials, the following five components were assessed: (1) if the randomization was appropriately performed (2) if the groups were comparable at baseline (3) if there were complete outcome data (4) if the outcome assessors were blinded to the intervention provided (5) if the participants adhered to the assigned intervention.
Power Analysis

not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
METHODS Search protocol and design This review follows The Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA) guidelines.19 To identify the impact of social support on medication adherence in patients with hypertension, we searched the electronic databases (CINHAL, PubMed, Embase, and PsycINFO) extensively and systematically.	PubMed		Suggestion: PubMed (RRID:SCR_004846)(link)
	Embase		Suggestion: EMBASE (RRID:SCR_001650)(link)
	PsycINFO		Suggestion: PsycINFO (RRID:SCR_014799)(link)

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq