Document Identifier: **PMC8243083**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The Ethics Review Board of The Affiliated Suzhou Hospital of Nanjing Medical University approved the study.
Consent: Informed consent was obtained from all participants.
Inclusion and Exclusion Criteria
Patients with a history of cancer or severe clinical symptoms and genetic diseases were excluded from the study.
Attrition
Materials and methods Subjects and sample collection Between May 2018 and June 2020, 80 subjects who were diagnosed with LUAD and 69 control subjects were recruited from The Affiliated Suzhou Hospital of Nanjing Medical University (Suzhou, China).
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication

Experiments were repeated in triplicate.	
Data Information	
Identifiers: The expression data of the target miRNA in the GSE114711 dataset (34) were obtained from the Gene Expression Omnibus (GEO) database (https:www.ncbi.nlm.nih.govgeo) using R v3.5.3 (https:cran.r-project.orgbinwindowsbaseold3.5.3) .	GSE114711

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Anti-TSG101 (catalog no. ab133586 1:5,000), anti-CD9 (catalog no. ab223052 1:5,000) and anti-GAPDH (catalog no. ab8245 1:5,000) (all Abcam) were used as the primary antibodies.	Anti-TSG101		Suggestion: (Acris Antibodies Cat# AP20455PU-N, RRID:AB_10757842)(link)
	anti-CD9		Suggestion: (Antibodies-Online Cat# ABIN376393, RRID:AB_10769918)(link)
	anti-GAPDH		
Software and Algorithms			
The density of the WB image was analyzed using ImageJ software (National Institutes of Health).	ImageJ		Suggestion: ImageJ, RRID:SCR_003070(link)
The expression data of the target miRNA in the GSE114711 dataset (34) were obtained from the Gene Expression Omnibus (GEO) database (https:www.ncbi.nlm.nih.govgeo) using R v3.5.3 (https:cran.r-project.orgbinwindowsbaseold3.5.3) .	Gene Expression Omnibus		Suggestion: Gene Expression Omnibus (GEO) (RRID:SCR_005012)(link)
Target gene prediction was performed using TarBase (35) ,	TarBase		
TargetScan (36) and microT-CDS (37) .	TargetScan		
The function of target genes was analyzed via Kyoto Encyclopedia of Genes and Genomes (KEGG http:www.kegg.jpkeggkegg1.html)	KEGG		
The expression of genes was analyzed using UALCAN (38) .	UALCAN		Suggestion: UALCAN (RRID:SCR_015827)(link)
The networks of target genes were constructed with Cytoscape v3.6.0 (http:chianti.ucsd.educytoscape-3.6.0) and GeneMANIA (39) .	Cytoscape		
	GeneMANIA		
Data were analyzed using SPSS v.	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
A non-parametric Mann-Whitney U test was employed to compare miRNA expression levels between the control and LUAD groups.	Mann-Whitney U test
A Wilcoxon signed-rank test was employed to compare miRNA expression levels between EVs and plasma.	Wilcoxon signed-rank test
A non-parametric Kruskal-Wallis test was employed to compare miRNA expression levels at different stages.	Kruskal-Wallis test
Bonferronis correction was used for the correction of multiple comparisons.	Bonferronis correction
Pearsons correlation analysis was employed to analyze the correlation between miRNA expression levels and age.	Pearsons correlation
The distributions of OS time were analyzed using the Kaplan-Meier method and compared using a two-sided log-rank test.	log-rank test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq