Document Identifier: **PMC8244284**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: Materials and methods This study received approval from the Johns Hopkins Institutional Review Board.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
Furthermore, consistent with the literature and clinical guidelines, we assumed that all pregnant patients who did not miscarry would undergo amniocentesis, and that all patients with evidence of aneuploidy would receive genetic counseling.
Subject Demographics
Age: It was assumed that all oocyte donors were between 21 and 34 years of age.
Randomization
Ten thousand iterations of the simulation were performed to adjust for the second order uncertainty by randomly sampling parameters for each variable.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Event Probabilities Base Case Minimum Maximum IVF success rate (number of cycles to successful blastocyst formation) (2, 11, 12) 0.667 0.56 0.87 Rate for performing PGT-A (2) 0.06 0.045 0.06 Non PGT-A Arm At least one blastocyst meets the morphological criteria (7, 13) 0.667 0.56 0.87 All transferred blastocytes are euploid (5, 12) 0.7 0.45 0.81 Pregnancy confirmed—for euploid blastocyst (2, 7) 0.6 Pregnancy confirmed—for aneuploid blastocyst (14) 0.3 Miscarriage in the euploid arm (2, 7, 15) 0.12 0.06 0.17 Miscarriage in the aneuploid arm (16) 1 Live birth in the euploid arm (2, 7, 15) 0.6 0.54 0.62 Live birth in the aneuploid arm (16) 0 PGT-A Arm Having a euploid embryo (2, 11, 12) 0.7 0.395 0.875 Pregnancy confirmed (2, 12, 17) 0.65 0.62 0.69 Miscarriage (2, 15, 17) 0.14 0.14 0.152 Live birth (2, 12, 17) 0.57 0.56 0.62 Cost parameters Base Case Minimum Maximum Cost of basic IVF on average—including multiple cycles (does not include cost of donor eggs and donor sperm) (18, 19) $18,277 $6,920 $27,685 Cost of donor eggs (19) $9,150 $6,742 $15,142 Cost of donor sperm (19) $450 $300 $1600 Cost of embryo transfer (19) $6,395 $3,155 $12,626 Cost of PGT-A (20, 21) $4,268 $3,155 $12,626 Cost of miscarriage management (21, 22, 23) $1,304 $517 $2,058 Cost of prenatal care—average (22, 24) $1,590 $761 $3,696 Cost of amniocentesis (22, 25) $1,397 $699 $2,794 Cost of genetic counseling (22) $146 $109 $182 Cost of live birth (22, 24) $15,385 $2,700 $20,629 Utility Base Case Minimum Maximum Live birth rate IVF—non PGT-A (2) 0.56 0.472 0.59 Live birth rate IVF—PGT-A (2) 0.6 0.53 0.71 Note: IVF = in vitro fertilization; PGT-A = preimplantation genetic testing for aneuploidy.	Cost		Suggestion: COST (RRID:SCR_014098)(link)

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq