Document Identifier: **PMC8245978**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: Materials and methods This study was approved by the independent ethics committee of our hospitals.
Inclusion and Exclusion Criteria
We excluded patients with pathologic fractures , open fractures , multiple injuries , isolated fractures of the greater tuberosity , isolated fractures of the lesser tuberosity , head-split fractures , previous surgery for upper limb involvement , and upper limb paralysis , such as those caused by cerebral infarction , and patients who underwent arthroplasty .
Attrition
Seven patients in the +IS group and 30 patients in the -IS group were excluded owing to inadequate follow-up.
Sex as a biological variable
In this study , we identified 212 patients (women , 141; men , 71) , who met the inclusion criteria .
Subject Demographics
Age: The mean age was 66.6 +- 15.8 years (range , 22-95 years) .
Randomization
not detected.
Blinding
A single examiner, who was blinded to the results of inferior subluxation, evaluated postoperative complications as per past clinical notes and plain radiographic images.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Statistical analysis All statistical analyses were conducted using the SPSS software program (version 26.0; IBM Corp., Armonk, NY, USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
In univariate analyses, we used the Student's t-test to compare the average of continuous values (age, body mass index, time from injury to surgery, blood loss and operative time), whereas Fischer's exact test was used to compare the proportion of discrete variables (sex, side of injury, smoking, local osteoporosis, preoperative axillary nerve injury, fracture dislocation, type of fracture, inferior subluxation before surgery, surgical procedure, surgical approach, and drainage after surgery).	t-test
	Fischer's exact test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq