Document Identifier: **PMC8247044**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: Nonetheless, each programme obtained ethical approval for the CP-North research programme in accordance with local laws and regulations as follows: CPUP, Regional Ethics Board, Lund 2018491 CPRN, Regional Committees for Medical and Health Research Ethics, 20172457REK south-east CPOP, a waiver was obtained CPIPS, the South East Scotland Research Ethics Service confirmed that an ethical review was not needed.
Inclusion and Exclusion Criteria
16 , 17 , 18 , 19 The Icelandic Cerebral Palsy Follow-Up Program and Finnish cohort were excluded from this study due to non-population-based data.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: METHOD Study population and design Aggregate data were collected from researchers from each CP surveillance programmeregistry (hereafter called programme) regarding the number of individuals with CP aged 6 to 19 years (born 2000-2013) and registered on 31st December 2019, sex, CP subtype, and gross and fine motor function levels.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication

not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Logistic regression analyses were performed and figures created with Stata 15 (StataCorp LLC, College Station, TX, USA) other analyses were performed with SPSS v25 (IBM Corp., Armonk, NY, USA).	StataCorp		Suggestion: Stata, RRID:SCR_012763(link)
	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
20 To compare the overall distributions of CP subtypes, GMFCS levels, and MACS levels between each programme, we used the Pearson kh 2 test and standardized Pearson residuals.	Pearson kh 2 test
21 The linear-by-linear association test was used to study the proportions of GMFCS and MACS levels by age.	association test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq