Document Identifier: **PMC8248556**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IACUC: Study approval All animal experiments were formally approved by the Telethon Kids Institute Animal Ethics Committee, which operates under guidelines developed by the National Health and Medical Research Council of Australia for the care and use of animals in scientific research.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
All mice were housed under specific pathogen-free conditions with standard food and water ad libitum at the Telethon Kids Institute Bioresources Centre. Time-mated pregnancies Female BALB/c mice aged 8–12 weeks were time-mated with male BALB/c studs aged 8–26 weeks.
Subject Demographics
Age: All mice were housed under specific pathogen-free conditions with standard food and water ad libitum at the Telethon Kids Institute Bioresources Centre. Time-mated pregnancies Female BALB/c mice aged 8–12 weeks were time-mated with male BALB/c studs aged 8–26 weeks.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Panels of monoclonal antibodies (purchased from BD Bioscience unless otherwise stated) were developed to enable phenotypic characterisation of leucocytes of myeloid: CD45-PerCP (clone 30-F11) , CD11b-v500 (clone M1/70) , CD11c-AF700 (clone HL3) , CD19-BV786 (clone 1D3) , CD103-PE (clone M290) , CD301-PE-Cy7 (clone MGL1/ MGL2; BioLegend) , F4/80-FITC (clone BM8; BioLegend , San Diego) , Ly6G/C-APC-Cy7 (clone RB6-8C5) , I-A/I-E-AF647 (clone M5/114.14.2) and B220/CD45R-PE-CF594 (clone RA3-6B2) and lymphoid: CD45-PerCP (clone 30-F11) , NKp46-PE-Cy7 (clone 29A1.4; BioLegend) , CD19-BV786 (clone 1D3) , CD3-FITC (clone 17A2) , CD4-v500 (clone RM4-5) , CD8α-BV650 (clone 53-6.7) , CD25-APC-Cy7	CD103-PE		
	CD301-PE-Cy7		
	Ly6G/C-APC-Cy7		
	NKp46-PE-Cy7		
	CD8α-BV650		
Experimental Models: Organisms/Strains			
ozaenae , Staphylococcus aureus and Neisseria catarrhalis) . 78 Based on previously optimised pre-clinical dosing concentrations in pregnant mice , 29 , 31 time-mated pregnant BALB/c mice received daily oral feeding of lyophilised OM-85 reconstituted in phosphate-buffered saline (PBS) at a concentration of 400mg kg−1 (17.5 % active pharmaceutical ingredient) body weight from GD0.5-17.5 .	BALB/c		Suggestion: RRID:MGI:2683685(link)
Software and Algorithms			
Peripheral lung and brain tissue were collected and stored in either cold PBS + 0.1 % bovine serum albumin (BSA; Bovogen Biologicals , Melbourne) for flow cytometric analysis , or RNAlater® Stabilization Solution (Sigma-Aldrich , St . Louis) for analysis of gene expression profiles and viral titres .	Sigma-Aldrich		

Immune cell phenotypic characterisation was performed using the FlowJo software (version 10.6.1; BD Bioscience)	FlowJo		Suggestion: FlowJo, RRID:SCR_008520(link)
Statistical analysis Statistical analysis and graphing was performed using the GraphPad Prism (version 8.3.0; GraphPad Software).	GraphPad Prism		Suggestion: GraphPad Prism (RRID:SCR_002798)(link)
	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Two-way analyses of variance (ANOVA) followed by uncorrected Fisher's LSD test or Tukey's multiple comparisons test and the log-rank (Mantel–Cox) test were used for analyses as outlined in corresponding figure legends.	Two-way analyses of variance
	ANOVA
	Fisher's LSD test
	Tukey's multiple comparisons test
	log-rank (Mantel–Cox) test
Oligonucleotides	
Complementary DNA (cDNA) was prepared via QuantiTect Reverse Transcription Kit (Qiagen, Hilden) and vMC0 viral copy-number determined using the QuantiFast SYBR Green PCR Kit (Qiagen, Hilden) via the primer sequence: forward primer: 5#-GCC GAAAGC CAC GTG TGT AA and reverse primer: 5#-AGA TCC CAG CCA GTG GGG TA. 71 Viral copy numbers were calculated using a standard curve of known amounts of amplified cDNA.	5#-GCC GAAAGC CAC GTG TGT AA
	5#-AGA TCC CAG CCA GTG GGG TA

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq