SciScore: 5
What's this?

Document Identifier: **PMC8252615**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: 2 METHODS This study was approved by the Institutional Review Board (IRB Number: 201305044 W and 2017-09-013BCF) of Taipei Veterans General Hospital (TVGH) in accordance with the Good Clinical Practice Guidelines.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
In patients whose AF remained sustained after PVI, they were assigned by the physicians discrimination without randomization to one of the following three substrate modification strategies: (a) rotordriver ablation guided by electrogram SI and phase mapping, and these patients constituted the PVI plus SI group (Group 1, n = 69) (b) linear ablation across the roof of the left atrium and in the mitral isthmus, and these patients constituted the PVI plus line group (Group 2, n = 75) (c) ablation of CFAE, and these patients constituted the PVI plus CFAE group (Group 3, n = 42).
Blinding
Patients all received oral anticoagulant for at least 4 weeks before catheter ablation, and they were unaware of which strategy of catheter ablation had been applied to them.
Power Analysis
not detected.

Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Electro-anatomical mappings were guided by either the NavXVelocity (Abbott, Inc.) or Carto (Biosense Webster) system using fast anatomical mapping feature in all patients.	Abbott		Suggestion: Abbott (RRID:SCR_010477)(link)
12 Statistical analyses were done using SAS software version 9.4 (SAS Institute, Inc.).	SAS		
	SAS Institute		Suggestion: Statistical Analysis System, RRID:SCR_008567(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Intergroup differences were assessed by the analysis of variance for continuous variables, and kh 2 test for categorical variables.	analysis of variance

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq