Document Identifier: **PMC8254100**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: All patients provided written informed consent via a form signed at either the Pre-screening or Screening visit.
Inclusion and Exclusion Criteria
Patients Eligible patients were >=40 years of age and were current or former smokers with a diagnosis of COPD, pre- and post-albuterol forced expiratory volume in 1 secondforced vital capacity (FEV1FVC) ratio <0.7, post-albuterol FEV1 of >=30-<=80 predicted (corresponding to GOLD grade 2 or 3), COPD Assessment Test (CAT) score >=10, and <=1 moderate and no severe exacerbations in the previous year.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: Patients Eligible patients were >=40 years of age and were current or former smokers with a diagnosis of COPD, pre- and post-albuterol forced expiratory volume in 1 secondforced vital capacity (FEV1FVC) ratio <0.7, post-albuterol FEV1 of >=30-<=80 predicted (corresponding to GOLD grade 2 or 3), COPD Assessment Test (CAT) score >=10, and <=1 moderate and no severe exacerbations in the previous year.
Randomization
Materials and Methods Study Design The multicenter, double-blind, double-dummy, 3-arm parallel-group EMAX trial randomized patients 1:1:1 to 24 weeks of UMECVI (62.525 ug) once daily via the ELLIPTA inhaler, UMEC (62.5 ug) once daily via ELLIPTA, or SAL (50 ug) twice-daily via the DISKUS inhaler.
Blinding
not detected.
Power Analysis
not detected.
Replication

not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
(E-RS) total score, rescue medication use (including inhalationsday and the proportion of rescue-free days), global assessment of disease severity (GADS), St Georges Respiratory Questionnaire (SGRQ) total score, and CAT total score.	GADS		

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq