Document Identifier: **PMC8256836**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
Patients Eligible patients had completed study BEL113750 or the open-label phase of study BEL112341 in study centres in Japan or South Korea .
Attrition
not required.
Sex as a biological variable
not detected.
Subject Demographics
Age: Patients were scheduled to receive their first belimumab dose 4 weeks (range 2-8 weeks) after their last IV dose in study BEL113750 or the first dose of IV belimumab 1 week (+-1 week) after the last dose of SC belimumab in study BEL112341 .
Randomization
28 Eligible patients entering this study received belimumab 10 mgkg IV infused over 1 hour every 28 days for up to 7 years plus standard therapy , irrespective of their randomised treatment in the parent studies .
Blinding
Blinding BEL113750 study blinding was maintained by the sponsor until all double-blind data were locked , and clinical sites remained blinded to BEL113750 treatment until the double-blind results were publicly disclosed.
Power Analysis
not detected.
Replication
not required.

Protocol Information	
Identifiers: ClinicalTrials . gov identifier NCT01597622) plus standard therapy conducted at 27 study centres across Japan and South Korea in patients with SLE who completed the parent studies , the 52-week double-blind phase of the BEL113750 (NCT01345253) study receiving IV belimumab in Japan and South Korea,24 or the subcutaneous (SC) open-label phase of the BEL112341 (NCT01484496) study in Japan (figure 1).	NCT01597622 NCT01345253 NCT01484496 Warning: study registration date November 28, 2011 is after study start date November 16, 2011

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Change from baseline in serum IgG , anti-dsDNA autoantibodies , complement (C3 , C4)	anti-dsDNA		
	C3		
	C4		
Software and Algorithms			
All data summaries and analyses were performed using SAS software, V.9.3 or higher (SAS Institute).	SAS		
	SAS Institute		Suggestion: Statistical Analysis System, RRID:SCR_008567(link)

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq