Document Identifier: **PMC8258074**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: Methods Ethics The study was conducted with approval from Institutional Ethics Review Board at Soochow University (Approval No. ECSU-2019000153) and the Chinese Clinical Trial Register, an official review board for clinical trial (Registration No. ChiCTR1900027451), affiliated to The Ministry of Public Health of China (http:www.chictr.org.cnindex.aspx).
Consent: Participants were enrolled after giving their written informed consent.
Inclusion and Exclusion Criteria
All participants were recruited by the Soyo Center of Soochow University, an institutional platform for studying non-medical intervention for fitness.
Attrition
Thirty-eight participants aged from 27 to 67 years were enrolled.
Sex as a biological variable
Thirty-eight began the beego intervention, among which 31 subjects (11 men and 20 women) chose 7-day fasting and 7-day refeeding programme, while 7 subjects (3 men and 4 women) chose 14-day fasting and 7-day refeeding programme.
Subject Demographics
Age: Thirty-eight participants aged from 27 to 67 years were enrolled.
Weight: The exclusion criteria included, but were not limited to the following: (1) Acute diseases, active tuberculosis, gastrointestinal ulcer with gastrointestinal bleeding (2) significant lesions in the organs, including advanced kidney, liver or cerebrovascular insufficiency (3) thin and weak patients with chronic hepatitis, thin and weak patients with diabetes, diabetes patients with injection of insulin for more than five successive years, nephropathy complicated with hypertension for more than 10 years, intense valvular heart disease or severe cardiac arrhythmias, patients with second or third stage lung gangrene (4) patients with advanced cancer, or any stage of pancreatic cancer, or patients with thin and weak cancer (5) individuals with a history of organ transplantation, or frequent organ bleeding (6) thyropathy in long-term medication (7) individuals with severe active allergic symptoms except pollen allergy (8) cachexia individuals with body weight below 40 kg, or loss of hearing and loss of vision (9) infectious diseases, excluding cold (10) certain inherited disorders such as medium-chain acyl-CoA dehydrogenase deficiency and porphyria (11) dementia or other severely debilitating cognitive disease, severe depression, hysteria, epilepsy, other in critical care patients (12) existing pregnancy, lactation period or age above 70 and below 20.

Randomization
not detected.
Blinding
Statistical analyses Laboratory technicians who performed the measurements and data statistics were blind to the information of the samples collected before, during and after the intervention.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
DDA data was identified by Andromeda search engine within MaxQuant , and Spectronaut used identification results for spectral library construction .	MaxQuant		
Statistical analyses were performed using SPSS V.22.0.	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Coagulation tests A medical professional took a blood sample and send it to our hospital for testing and analysis .	Coagulation tests
To assess for changes during fasting, we performed each fasting time point to baseline (wFD1) using one-way analysis of variance with multiple comparisons.	analysis of variance
Multiple comparisons were performed using Dunnetts test and then using the Benjamini and Hochberg method to control the false discovery rate.	Dunnetts test
	Benjamini and Hochberg

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq