Document Identifier: **PMC8258464**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Materials and methods Ethics approval and consent This quasi-experimental study with pre- and post-tests, and with a non-equivalent group design was approved by the Ethics Committee for Research involving Human Beings of the State University of Santa Catarina in 2015 (certificate of presentation for ethical appreciation no. 50032415.1.0000.0118).
IRB: Materials and methods Ethics approval and consent This quasi-experimental study with pre- and post-tests, and with a non-equivalent group design was approved by the Ethics Committee for Research involving Human Beings of the State University of Santa Catarina in 2015 (certificate of presentation for ethical appreciation no. 50032415.1.0000.0118).
Field Sample Permit: The samples were processed for serum isolation within 2 h of collection .
Inclusion and Exclusion Criteria
The participants fulfilled the following inclusion criteria: i) Age ≥50 years old and ≤80 years old; ii) classification in stages I , II and III of the Hoehn & Yahr scale; iii) a score ≥24 in the Mini-Mental State Examination (MMSE); iv) use of stable medication during the last 3 months; and v) physical ability to walk 300 m or more during the 6-min walk test (6MWT) .
Attrition
not detected.
Sex as a biological variable
The decision to include only men in this study was made given the need to minimize possible sex-specific confounding effects , such as those arising from typical hormonal implications of the menstrual cycle in women , which may cause changes in circulating miRNA expression levels (58,59) .
Subject Demographics
Age: The participants fulfilled the following inclusion criteria: i) Age ≥50 years old and ≤80 years old; ii) classification in stages I , II and III of the Hoehn & Yahr scale; iii) a score ≥24 in the Mini-Mental State Examination (MMSE); iv) use of stable medication during the last 3 months; and v) physical ability to walk 300 m or more during the 6-min walk test (6MWT) .
Randomization

not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
The reactions were performed in triplicate , assuming the geometric mean between the Cq values found for each sample to calculate relative gene expression .
Number: The reactions were performed in triplicate , assuming the geometric mean between the Cq values found for each sample to calculate relative gene expression .

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Prediction of target genes Prediction analyses of target genes of miR-106a-5p , −103a-3p and −29a-3p were performed using two databases (TargetScan version 7.2: http:// www.targetscan.org/vert_72/ and miRDB January 2019 version: http:// www.mirdb.org/) (70,71).	TargetScan		Suggestion: TargetScan (RRID:SCR_010845)(link)
The most relevant biological processes were visualized using REViGO (version 2017; revigo . irb . hr/) (73) .	REViGO		Suggestion: REViGO (RRID:SCR_005825)(link)
; Microsoft Corporation) and were subsequently exported to the IBM® SPSS program (version 20.0; IBM Corp.) and to the GraphPad Prism 6 statistics software (GraphPad Software, Inc.).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)
	GraphPad Prism		Suggestion: GraphPad Prism (RRID:SCR_002798)(link)
	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
The normality of the data was analyzed using the Shapiro-Wilk test.	Shapiro-Wilk test
The t-test for independent samples was used to compare the groups (EG and CG).	t-test
The correlation between the variables UPDRS, MMSE, MoCA, 6MWT and the relative expression levels of the miRNAs (before and after training) were evaluated using the Spearman's rank correlation coefficient.	Spearman's rank correlation

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq