Document Identifier: **PMC8264122**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Each participant provided electronic informed consent regarding the collection and use of personal information before the checkup was conducted.
IRB: The protocol of this study was approved by the Institutional Review Board (IRB) of Chonnam National University Hwasun Hospital (IRB number CNUHH-2020-136).
Inclusion and Exclusion Criteria
Participants who had previously worked as nurses in other hospitals were excluded from this study.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: METHODS Study participants The study participants were newly employed nurses at a university hospital aged between 21 and 40 years (dates of birth from January 1, 1980 to December 31, 1999).
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Serologic tests Enzyme-linked immunosorbent assay was used to detect immunoglobulin G (IgG) antibodies against measles , mumps , and varicella-zoster .	IgG) antibodies against measles , mumps ,		
The rubella IgG antibody was outsourced to a different laboratory , Samkwang Medical Laboratories (Seoul , Korea)	rubella IgG		
Software and Algorithms			
The Alinity Rubella-IgG (Abbott, IL, USA) serologic test kit was used.	Abbott		
All statistical tests were performed using SPSS statistics software version 26.0 (SPSS, Inc., Chicago, IL, USA), and the significance level was defined as $p < 0.05$.	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Pearsons kh2 test or linear-by-linear association were used to analyze the association between seroprevalence and age, birth year, birth season, and metropolitan area of residence.	Pearsons kh2 test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq