Document Identifier: **PMC8278150**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not detected.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
2.10 Animals Sprague-Dawley male rats (6-8 weeks) of 140-180 g and Swiss albino male mice (6-7 weeks) of 25-30 g were collected from Pharmacology Laboratory , Department of Pharmacy , Jahangirnagar University , and were acclimatized to normal laboratory conditions for one week prior to the study and were assessed to a pellet diet and water ad libitum .
Subject Demographics
Weight: 2.10 Animals Sprague-Dawley male rats (6-8 weeks) of 140-180 g and Swiss albino male mice (6-7 weeks) of 25-30 g were collected from Pharmacology Laboratory , Department of Pharmacy , Jahangirnagar University , and were acclimatized to normal laboratory conditions for one week prior to the study and were assessed to a pellet diet and water ad libitum .
Age: 2.10 Animals Sprague-Dawley male rats (6-8 weeks) of 140-180 g and Swiss albino male mice (6-7 weeks) of 25-30 g were collected from Pharmacology Laboratory , Department of Pharmacy , Jahangirnagar University , and were acclimatized to normal laboratory conditions for one week prior to the study and were assessed to a pellet diet and water ad libitum .
Randomization
2.11 Acute toxicity study Swiss albino male mice (n = 50) were randomly divided into five groups conveying ten animals of each group according to the organization for economic cooperation and development (OECD)-No.423 (2001) guideline to evaluate for acute toxicity study 23,24
Blinding
not detected.
Power Analysis

not detected.
Replication
not required.
Data Information
Availability: A voucher specimen (Acc . No. DACB: 43751) was deposited in the National Herbarium , Bangladesh for future reference.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Organisms/Strains			
2.10 Animals Sprague-Dawley male rats (6-8 weeks) of 140-180 g and Swiss albino male mice (6-7 weeks) of 25-30 g were collected from Pharmacology Laboratory , Department of Pharmacy , Jahangirnagar University , and were acclimatized to normal laboratory conditions for one week prior to the study and were assessed to a pellet diet and water ad libitum .	Swiss albino		Suggestion: RRID:MGI:5652853(link)
2.11 Acute toxicity study Swiss albino male mice (n = 50) were randomly divided into five groups conveying ten animals of each group according to the organization for economic cooperation and development (OECD)-No.423 (2001) guideline to evaluate for acute toxicity study 23,24	albino		
2.12 Experimental design for hematological and hepatoprotective study A total of 35 Sprague-Dawley male rats were randomly divided into five groups conveying seven animals of each group and were kept in the experimental period of 28 days , as follows: Normal Control: Animals received 0.5 mL olive oilrat with normal diet.	Sprague-Dawley		Suggestion: RRID:RGD_70508(link)
Software and Algorithms			
The statistical analysis of the results was carried out with an SPSS (Statistical Packages for Social Science , version 20.0 , IBM Corporation , New York , U.S.A .) , Graphpad Prism (version 6.02) , GraphPad Software Inc .	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)
	Graphpad Prism		Suggestion: GraphPad Prism (RRID:SCR_002798)(link)
	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)
San Diego, CA, U.S.A.), and Microsoft Excel 2013 (Redmond, Washington, U.S.A.).	Microsoft Excel		Suggestion: Microsoft Excel, RRID:SCR_016137(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Data were subjected to one-way analysis of variance (ANOVA) with the aid of Tukeys multiple comparisons to analyze data sets.	analysis of variance
	ANOVA

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq