Materials Design Analysis Reporting (MDAR) Checklist for Authors

The MDAR framework establishes a minimum set of requirements in transparent reporting applicable to studies in the life sciences (see Statement of Task: doi:10.31222/osf.oio/9sm4x.). The MDAR checklist is a tool for authors, editors and others seeking to adopt the MDAR framework for transparent reporting in manuscripts and other outputs. Please refer to the MDAR Elaboration Document for additional context for the MDAR framework.

Materials

Antibodies	Yes (indicate where provided: page no/section/legend)	n/a
For commercial reagents, provide supplier name, catalogue number and RRID, if available	No antibodes detected. Please add identifiers for all resources where possible	

Cell Materials	Yes (indicate where provided: page no/section/legend)	n/a
Cell lines: Provide species information, strain. Provide accession number in repository OR supplier name, catalog number, clone number, OR RRID	No cell lines detected Please add identifiers for all resources where possible	
Primary cultures: Provide species, strain, sex of origin, genetic modification status.	Not currently checked by SciScore	

Experimental Animals	Yes (indicate where provided: page no/section/legend)	n/a
Laboratory animals: Provide species, strain, sex, age, genetic modification status. Provide accession number in repository OR supplier name, catalog number, clone number, OR RRID	No organisms detected Please add identifiers for all resources where possible	
Animal observed in or captured from the field: Provide species, sex and age where possible	Not currently checked by SciScore	
Model organisms: Provide Accession number in repository (where relevant) OR RRID	See laboratory animals section for information.	

Plants and microbes	Yes (indicate where provided: page no/section/legend)	n/a
Plants: provide species and strain, unique accession number if available, and source (including location for collected wild specimens)	Not currently checked by SciScore	
Microbes: provide species and strain, unique accession number if available, and source	Not currently checked by SciScore	

Human research participants	Yes (indicate where provided: page no/section/legend)	n/a
Identify authority granting ethics approval (IRB or equivalent committee(s), provide reference number for approval.	The study was approved by the Research Ethics Committees of the University of Leipzig (ethic number: 376/12-ff) and the Humboldt University in Berlin (ethic numbers: 2013–02 , 2013–29 , 2014–10) .	
Provide statement confirming informed consent obtained from study participants.	Not detected.	
Report on age and sex for all study participants.	**Age:**2 Methods 2.1 Participants Three hundred and thirty two healthy participants (age 20–55 years, mean: 40.7, SD: 9.2) were recruited in the context of the ReSource Project (Singer et al., 2016). **Sex:**not detected.	

Design

Study protocol	Yes (indicate where provided: page no/section/legend)	n/a
For clinical trials, provide the trial registration number OR cite DOI in manuscript.	NCT01833104	

Laboratory protocol	Yes (indicate where provided: page no/section/legend)	n/a
Provide DOI or other citation details if detailed step-by-step protocols are available.	Not detected.	

Experimental study design (statistics details)	Yes (indicate where provided: page no/section/legend)	n/a
State whether and how the following have been done, or if they were not carried out		
Sample size determination	2.9.5 Power analysis Power was calculated separately for all analyses testing the relationships between basal or reactive sBDNF and total HCV (hypotheses A1 , A2 , C1 & C2) .	
Randomization	The intra- and inter-assay coefficients of variation of <7 % were determined by duplicate analysis of > 6 % of randomly selected samples .	
Blinding	Both raters were blind to participant characteristics including age , sex , and availability and concentration of sBDNF samples .	
inclusion/exclusion criteria	(PHQ-D; Löwe et al. , 2002; Spitzer et al. , 1999) , using predetermined cut-off values as exclusion criteria (for more details see Singer et al. , 2016; chapter 7) .	

Sample definition and in-laboratory replication	Yes (indicate where provided: page no/section/legend)	n/a
State number of times the experiment was replicated in laboratory	The intra- and inter-assay coefficients of variation of <7 % were determined by duplicate analysis of > 6 % of randomly selected samples .	
Define whether data describe technical or biological replicates	Not detected.	

Ethics	Yes (indicate where provided: page no/section/legend)	n/a
Studies involving human participants: State details of authority granting ethics approval (IRB or equivalent committee(s), provide reference number for approval.	The study was approved by the Research Ethics Committees of the University of Leipzig (ethic number: 376/12-ff) and the Humboldt University in Berlin (ethic numbers: 2013–02 , 2013–29 , 2014–10) .	
Studies involving experimental animals: State details of authority granting ethics approval (IRB or equivalent committee(s), provide reference number for approval.	Not detected.	
Studies involving specimen and field samples: State if relevant permits obtained, provide details of authority approving study; if none were required, explain why.	Not detected.	

Dual Use Research of Concern (DURC)	Yes (indicate where provided: page no/section/legend)	n/a
If study is subject to dual use research of concern, state the authority granting approval and reference number for the regulatory approval	Not currently checked by SciScore	

Analysis

Attrition	Yes (indicate where provided: page no/section/legend)	n/a
State if sample or data point from the analysis is excluded, and whether the criteria for exclusion were determined and specified in advance.	Out of those, n = 242 participants were assigned to one of three training cohorts (TCs), and n = 90 to a no-training retest control cohort (RCC).	

Statistics	Yes (indicate where provided: page no/section/legend)	n/a
Describe statistical tests used and justify choice of tests.	We used a threshold of alpha ≤ 0.05 for the majority of analyses , but applied Bonferroni family-wise error rate corrections to control for false positives due to multiple comparisons within each family of tests that addressed the same hypothesis (Shaffer , 1995; see Supplementary Methods A) .	

Data availability	Yes (indicate where provided: page no/section/legend)	n/a
State whether newly created datasets are available, including protocols for access or restriction on access.	Not detected.	
If data are publicly available, provide accession number in repository or DOI or URL.	Not detected.	
If publicly available data are reused, provide accession number in repository or DOI or URL, where possible.	Not detected.	

Code availability	Yes (indicate where provided: page no/section/legend)	n/a
For all newly generated code and software essential for replicating the main findings of the study:		
State whether the code or software is available.	Fig 2 2.9.6 Stage 1 protocol The Stage 1 protocol was uploaded after approval and is available on the Open Science Framework at URL https://osf.io/cdqwu.	
If code is publicly available, provide accession number in repository, or DOI or URL.	Not detected.	

Analysis

Adherence to community standards	Yes (indicate where provided: page no/section/legend)	n/a
MDAR framework recommends adoption of discipline-specific guidelines, established and endorsed through community initiatives. Journals have their own policy about requiring specific guidelines and recommendations to complement MDAR.		
State if relevant guidelines (eg., ICMJE, MIBBI, ARRIVE) have been followed, and whether a checklist (eg., CONSORT, PRISMA, ARRIVE) is provided with the manuscript.	Not currently checked by SciScore	