Document Identifier: **PMC8280951**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: The study was approved by the Research Ethics Committees of the University of Leipzig (ethic number: 376/12-ff) and the Humboldt University in Berlin (ethic numbers: 2013–02 , 2013–29 , 2014–10) .
Inclusion and Exclusion Criteria
(PHQ-D; Löwe et al. , 2002; Spitzer et al. , 1999) , using predetermined cut-off values as exclusion criteria (for more details see Singer et al. , 2016; chapter 7) .
Attrition
Out of those, n = 242 participants were assigned to one of three training cohorts (TCs), and n = 90 to a no-training retest control cohort (RCC).
Sex as a biological variable
not detected.
Subject Demographics
Age: 2 Methods 2.1 Participants Three hundred and thirty two healthy participants (age 20–55 years, mean: 40.7, SD: 9.2) were recruited in the context of the ReSource Project (Singer et al., 2016).
Randomization
The intra- and inter-assay coefficients of variation of <7 % were determined by duplicate analysis of > 6 % of randomly selected samples .
Blinding
Both raters were blind to participant characteristics including age , sex , and availability and concentration of sBDNF samples .
Power Analysis
2.9.5 Power analysis Power was calculated separately for all analyses testing the relationships between basal or reactive sBDNF and total HCV (hypotheses A1 , A2 , C1 & C2) .
Replication

The intra- and inter-assay coefficients of variation of <7 % were determined by duplicate analysis of > 6 % of randomly selected samples .	
Number: The intra- and inter-assay coefficients of variation of <7 % were determined by duplicate analysis of > 6 % of randomly selected samples .	
Code Information	
Availability: Fig 2 2.9.6 Stage 1 protocol The Stage 1 protocol was uploaded after approval and is available on the Open Science Framework at URL https://osf.io/cdqwu.	
Protocol Information	
Identifiers: Fig 1 The ReSource Project was registered under the title “Plasticity of the Compassionate Brain” with the Protocol Registration System of ClinicalTrials . gov (Identifier: NCT01833104 , date of registration: 16/04/2013) .	NCT01833104 Warning: study registration date February 1, 2013 is after study start date January 2013

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
We used a threshold of alpha ≤ 0.05 for the majority of analyses , but applied Bonferroni family-wise error rate corrections to control for false positives due to multiple comparisons within each family of tests that addressed the same hypothesis (Shaffer , 1995; see Supplementary Methods A) .	Bonferroni

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq