Document Identifier: **PMC8282984**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IACUC: Animal care and husbandry procedures were approved by the Institutional Animal Care and Use Committee (IACUC) and conformed to the NIH Guide for the Care and Use of Laboratory Animals (8th Ed.).
Euthanasia Agents: As soon as mice stopped spontaneous breathing (within 3-4 min of CO2 inhalation) , brains were surgically excised following decapitation .
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
2 Materials and methods 2.1 Animal subjects 6-week-old athymic (T-cell deficient, partially immunocompromised) male mice (NCr nude Taconic Biosciences, Inc.) were housed in pathogen-free conditions a 12h light: 12h dark cycle, temperature controlled (22-24 degC) room and provided with ad libitum access to food and water.
Subject Demographics
Age: 2 Materials and methods 2.1 Animal subjects 6-week-old athymic (T-cell deficient, partially immunocompromised) male mice (NCr nude Taconic Biosciences, Inc.) were housed in pathogen-free conditions a 12h light: 12h dark cycle, temperature controlled (22-24 degC) room and provided with ad libitum access to food and water.
Randomization
not detected.
Blinding
Testing sessions were recorded with a video camera placed above the center of the maze , and the recordings were used for later analysis by a scorer blind to the treatment subjects received.
Power Analysis
not detected.

Replication	
not required.	
Data Information	
Identifiers: The concentration of the ingredients in the freshly prepared aCSF were: (in mM) 124 NaCl, 3 KCl, 1.5 MgSO47H20, 1.2 NaH2PO4, 2.4 CaCl2, 25 NaHCO3, and 10 D-Glucose.	MgSO47H20

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Next day , membranes were probed with either secondary anti-mouse antibody (1:2,000) or anti-rabbit antibody (1:10,000) conjugated with fluorophore DyLight 550 at room temperature for 60-90 min .	anti-mouse		
	anti-rabbit		
Rabbit , monoclonal H M R Mk Cell Signaling Technology 5174 AB_10622025	Rabbit	Cell Signaling Technology	(Cell Signaling Technology Cat# 5174, RRID:AB_10622025)(link)
1:1,000 Anti- b-actin Rabbit , monoclonal H M R Mk Dm Z Cell Signaling Technology 8457 AB_10950489 1:1,000	Anti- b-actin Rabbit	Cell Signaling Technology	(Cell Signaling Technology Cat# 8457, RRID:AB_10950489)(link)
Rabbit , monoclonal M R Cell Signaling Technology 13185 AB_2732897	M R	Cell Signaling Technology	(Cell Signaling Technology Cat# 13185, RRID:AB_2732897)(link)
1:1,000 Anti- phospho GluA1Ser 845 Rabbit , monoclonal H M R Cell Signaling Technology 8084 AB_10860773 1:1,000 Anti- GluA2 Rabbit , monoclonal H M R Cell Signaling Technology 13607 AB_2650557 1:1,000	Anti- GluA1Ser Rabbit	Cell Signaling Technology	(Cell Signaling Technology Cat# 8084, RRID:AB_10860773)(link)
	Anti- GluA2 Rabbit	Cell Signaling Technology	(Cell Signaling Technology Cat# 13607, RRID:AB_2650557)(link)
Rabbit , monoclonal H M R Cell Signaling Technology 11945 AB_2797775 1:1,000	Rabbit	Cell Signaling Technology	(Cell Signaling Technology Cat# 11945, RRID:AB_2797775)(link)
AB_11212950			(Millipore Cat# AB3865, RRID:AB_11212950)(link)
1:1,000 Anti-BDNF mouse , monoclonal H M R B Pg Dg Santa Cruz sc-546 AB_630940 1:1,000	Anti-BDNF	Santa Cruz Biotechnology	(Santa Cruz Biotechnology Cat# sc-546, RRID:AB_630940)(link)
Rabbit , monoclonal M R EMD Millipore AB9876 AB_877307 1:1,000			(Millipore Cat# AB9876, RRID:AB_877307)(link)
Rabbit , monoclonal H M R Hm Mk C Dm B Dg Pg Cell Signaling Technology 9272 AB_329827 1:1,000	Dm B	Cell Signaling Technology	(Cell Signaling Technology Cat# 9272, RRID:AB_329827)(link)
Rabbit , monoclonal H M R Hm Dm B Dg Pg Cell Signaling Technology 9271 AB_329825 1:1,000			(Cell Signaling Technology Cat# 9271, RRID:AB_329825)(link)
Rabbit , monoclonal H M R Hm Mk Mi Dm Z B Dg Pg Ce Cell Signaling Technology 4695 AB_390779 1:2,000	Rabbit	Cell Signaling Technology	(Cell Signaling Technology Cat# 4695, RRID:AB_390779)(link)
Rabbit , monoclonal H M R Hm Mk Mi Dm Z B Dg Pg Sc Cell Signaling Technology 4370 AB_2315112 1:1,000 Secondary Antibody Anti-	Hm Mk Mi Dm	Cell Signaling Technology	(Cell Signaling Technology Cat# 4370, RRID:AB_2315112)(link)
	Anti-rabbit IgG	Thermo Fisher Scientific	(Thermo Fisher Scientific Cat# 31210, RRID:AB_228334)(link)

rabbit IgG Goat , polyclonal R Thermo Scientific AB228334			
1:10,000 Anti-mouse IgG horseradishperoxidase , monoclonal M Santa Cruz sc-516102 AB_2687626 1:2,000 H-Human , M-Mouse , R-Rat , Hm-Hamster , Mk-Monkey , Mi-Mink , C-Chicken , Dm-D .	IgG	Santa Cruz Biotechnology	(Santa Cruz Biotechnology Cat# sc-516102, RRID:AB_2687626)(link)
Software and Algorithms			
This figure is Created with BioRender.com (https:biorender.com).	BioRender		Suggestion: Biorender (RRID:SCR_018361)(link)
The fEPSP and single channel data were analyzed with WinLTP and pClamp 9 programs, respectively.	WinLTP		Suggestion: WinLTP (RRID:SCR_008590)(link)
	pClamp		Suggestion: pClamp Software, RRID:SCR_011323(link)
Statistical analysis was performed using Prism software.	Prism		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
melanogaster , X-Xenopus , Z-Zebrafish , B-Bovine Dg-Dog , Pg-Pig , Sc-S. cerevisiae , Ce-C . elegans , Hr-Horse , Dr-Drosophila . 2.9 Statistics Behavior in the Y maze was analyzed with a repeated measures analysis of variance (RMANOVA) , using group and arm (Novel vs.	analysis of variance
All scores were analyzed for outlier scores using Grubbs test (Grubbs , 1969)	Grubbs test
Comparison of the two experimental groups, i.e., Control and Dox was performed by two-tailed, unpaired and paired Student t-tests, where appropriate.	t-tests
Unresolved RRIDs	
Table 1 Antibodies Host & Type specificity Source Cat RRID Dilution Primary Antibodies Anti-GAPDH	RRID Dilution
Rabbit , monoclonal H M R Dr EMD Millipore AB3865	AB3865
Rabbit , monoclonal M R EMD Millipore AB9876 AB_877307 1:1,000	AB9876

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq