Document Identifier: **PMC8285919**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Field Sample Permit: Animal experiments were approved by the Cantonal Commission for Animal Experimentation of the Canton of Zurich, Switzerland, in accordance with national and cantonal regulations.
IACUC: Animal experiments were approved by the Cantonal Commission for Animal Experimentation of the Canton of Zurich, Switzerland, in accordance with national and cantonal regulations.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: The surgical intervention for demyelinating an area of the CC and placing the transcortical window was carried out in Ascl1CreERT2tdTom mice aged 9 to 12 wk (25).
Randomization
not detected.
Blinding
Every lineage was annotated with a code (SI Appendix, Supplementary Materials and Methods) by a blinded researcher.
Power Analysis
not detected.
Replication
All the applied statistics were conducted on data from three or more biologically independent experimental replicates.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
For the analysis of the rearrangements of the cells in the clone, the value of the distance among cells was obtained using a Fiji custom-made macro.	Fiji		
The statistical analysis of the data was performed using Graphpad Prism (version 8).	Graphpad Prism		Suggestion: GraphPad Prism (RRID:SCR_002798)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
First, normality was tested, and when data did not follow a normal distribution according to the Shapiro-Wilk test, the nonparametric Mann-Whitney U test or Wilcoxon matched-pairs test were performed.	Shapiro-Wilk test
	Mann-Whitney U test
	Wilcoxon matched-pairs test
Alternatively, a paired or an unpaired two-tailed Students t test was used for mean comparison depending on the nature of the analysis (within or between subjects).	Students t test
In case of comparison of three or more groups, one-way ANOVA or Kruskal-Wallis tests were performed.	ANOVA
	Kruskal-Wallis tests

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq