Document Identifier: **PMC8286150**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
not required.
Attrition
In addition, the miRNA expression profile of GSE64989,17 based on the GPL16384 platform, was downloaded from the Gene Expression Omnibus (GEO, https:www.ncbi.nlm.nih.govgeo) database, including HCC samples from 8 patients who experienced recurrence after LT and 10 patients who did not experience recurrence after LT.
Sex as a biological variable
not required.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.
Data Information

Identifiers: The miR symbols in GSE64989 were converted to be consistent with mature miR symbols in the mature miR data in the TCGA.	GSE64989

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
In addition, the miRNA expression profile of GSE64989,17 based on the GPL16384 platform, was downloaded from the Gene Expression Omnibus (GEO, https:www.ncbi.nlm.nih.govgeo) database, including HCC samples from 8 patients who experienced recurrence after LT and 10 patients who did not experience recurrence after LT.	Gene Expression Omnibus		Suggestion: Gene Expression Omnibus (GEO) (RRID:SCR_005012)(link)
Sequences and symbol of mature miRs were obtained from miRbase version 22 (http:www.mirbase.org).	miRbase		Suggestion: miRBase (RRID:SCR_003152)(link)
	http:www.mirbase.org		
Screening of Differentially Expressed miRNAs The limma package18 was used to screen for differentially expressed miRs (DEmiRs) in two comparison-pairs: HCC vs normal liver in the TCGA dataset, or HCC with recurrence after LT vs HCC without recurrence after LT in the GSE64989 dataset.	limma		Suggestion: LIMMA (RRID:SCR_010943)(link)
Cytoscape software21 was used to visualize the network.	Cytoscape		Suggestion: Cytoscape (RRID:SCR_003032)(link)
Functional Enrichment Analysis In order to further explore the biological processes and pathways involving candidate miRs, we used Metascape22 web tools to analyze gene ontology (GO) and Kyoto Encyclopedia of Genes and Genomes (KEGG) enrichment. $P < 0.05$ was considered statistically significant.	KEGG		
Statistical Analysis All analyses were performed using R version 4.0.2 (https:www.r-project.org).	https:www.r-project.org		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
The lncRNA and mRNA targeted by the same miR were used to perform Pearson correlation analysis.	Pearson correlation
The unpaired t-test provided in the limma package was used to screen for DEmiRs.	t-test
Kaplan-Meier survival analysis and the Log rank test were used to compare survival between low- and high-risk patients.	Log rank test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq