Document Identifier: **PMC8286426**

# SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

**Table 1: Rigor Adherence Table**

| |
|---|
| Ethics |
| Consent: All subjects signed the informed consent. |
| IRB: This study was performed in accordance with the Declaration of Helsinki (2013) of the World Medical Association, and approved by the ethics committee of Huashan Hospital, Fudan University ( |
| Inclusion and Exclusion Criteria |
| Inclusion Criteria and Exclusion Criteria Patients with at least two of the following four diagnoses ( AS , T2DM , NAFLD , or obesity ) were diagnosed as MIS. |
| Attrition |
| Materials and Methods Participants and Ethics One hundred and five cases of MIS patients in the geriatric physical examination population of Huashan Hospital affiliated to Fudan University from May to June 2018 were selected as the case group, aged 60–85 years; 52 cases of relatively healthy physical examination during the same period were selected as the control group, aged 60–85 years. |
| Sex as a biological variable |
| History of alcohol abuse or alcohol consumption converted to ethanol is more than 140g/week for men and 70g/week for women , 3 . |
| Subject Demographics |
| Age: Materials and Methods Participants and Ethics One hundred and five cases of MIS patients in the geriatric physical examination population of Huashan Hospital affiliated to Fudan University from May to June 2018 were selected as the case group, aged 60–85 years; 52 cases of relatively healthy physical examination during the same period were selected as the control group, aged 60–85 years. |
| Randomization |
| not detected. |
| Blinding |
| not detected. |
| Power Analysis |
| not detected. |

| Replication |
| --- |
| not required. |

**Table 2: Key Resources Table**

| Your Sentences | REAGENT or RESOURCE | SOURCE | IDENTIFIER |
|---|---|---|---|
| Software and Algorithms | | | |
| Statistical Analyses SPSS 23.0 software was used for statistical analysis. | SPSS | | Suggestion: SPSS, RRID:SCR_002865( link) |

**Other Entities Detected**

| Your Sentences | Recognized Entity |
|---|---|
| Statistical Tests | |
| The t-test was used for comparison between the measurement data that met the normal distribution, and the rank sum test was used for the comparison between measurement data that did not meet the normal distribution. | t-test |
| | rank sum test |
| The correlation of each detection index was analyzed by Spearman or partial correlation analysis. | Spearman |

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq