Document Identifier: **PMC8287907**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not detected.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
Serially diluted SUD-NM samples (7.8-1000 nM) were then injected one at a time in triplicate for 2 min at a flow rate of 30 mlmin over the oligonucleotide-derivatized surfaces (association phase) , after which buffer was flowed at 30 mlmin for 3 min (dissociation phase) .

Number: Serially diluted SUD-NM samples (7.8-1000 nM) were then injected one at a time in triplicate for 2 min at a flow rate of 30 mlmin over the oligonucleotide-derivatized surfaces (association phase) , after which buffer was flowed at 30 mlmin for 3 min (dissociation phase) .

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Eluted proteins were analyzed by SDS-PAGE and western blot analysis using a His-HRP antibody (Sigma-Aldrich , A7058)	A7058		
Experimental Models: Organisms/Strains			
Escherichia coli BL21 (DE23)pDIA17 (56) were transformed by the constructed pET28a plasmids and grown at 30degC in 2YT medium under kanamycin and chloramphenicol selection .	DE23)pDIA17		
Recombinant DNA			
The quadruple mutation MutA (G489A , G490A , T491A , K497A) was introduced on the pET28a WT SUD-NM plasmid using designed oligonucleotides and the QuikChange II XL Site-Directed Mutagenesis kit (Agilent Technologies)	pET28a WT SUD-NM		
pET28a SUD-NM Mut4 (K589A , K592A , E595A) was synthesized by TwistBioscience.	pET28a		Suggestion: RRID:Addgene_26094(link)
Software and Algorithms			
IC50 values were calculated from the experimental data using the KaleidaGraph software (Synergy Software)	KaleidaGraph		
Computational modeling of the SARS-CoV-2 SUD-NM The three-dimensional structure of SARS-CoV-2 SUD-NM was computed with the Modeller software (61).	Modeller		
All figures were made with PyMOL (66).	PyMOL		Suggestion: PyMOL, RRID:SCR_000305(link)

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq