Document Identifier: **PMC8296705**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: Our study has been approved by the ethics committee of Hong Hui hospital in Xi ‘an, China, and all participants have signed informed consent before participating in the study.
Consent: Our study has been approved by the ethics committee of Hong Hui hospital in Xi ‘an, China, and all participants have signed informed consent before participating in the study.
Inclusion and Exclusion Criteria
The inclusion criteria of the control group were as follows: (1) healthy, excluding asymptomatic ONFH (stage I) subjects; (2) age and BMI-matched Han Population in the control group; (3) no recent infection; (4) no other medical history; (5) no history of alcohol abuse.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication

not required.	
Data Information	
Identifiers: Three SNPs (rs4984677, rs62030917 and rs2269556) in RAB40C were finally identified in the case - control study.	rs4984677
	rs62030917
	rs2269556

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
18 Data Analyses We used Microsoft Excel (Microsoft, Redmond, WA) and SPSS Statistics (version 17.0, SPSS, Chicago, IL) to analyze the collected data.	Microsoft Excel		Suggestion: Microsoft Excel, RRID:SCR_016137(link)
	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)
Four models (co-dominant, dominant, recessive, and log-additive) were established using PLINK version 1.07 software to assess the association between each sites and the alcohol-induced ONFH risk.	PLINK		Suggestion: PLINK (RRID:SCR_001757)(link)
The pairwise linkage disequilibrium (LD), haplotype construction, and genetic association of polymorphism loci were assessed using the Haploview software package (version 4.2).	Haploview		Suggestion: Haploview (RRID:SCR_003076)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
The chi-square test was used to evaluate the deviation of Hardy-Weinberg equilibrium (HWE).	chi-square test
Pearson Chi - square test or Fisher's accurate test were also used to compare the allele frequency and genotype frequency of alcohol-induced ONFH patients with that of the control group.	Pearson Chi - square test
	Fisher's accurate test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq