Document Identifier: **PMC8305757**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Parental informed written consent was obtained before patient enrollment .
Inclusion and Exclusion Criteria
Inborn preterm infants with gestation age <30 weeks and birth weight <1250 g who had RDS with FiO2 requirements more than 40% and need surfactant replacement therapy were eligible.
Attrition
Two hundred and seventeen infants were met the inclusion criteria that 92 neonates did not need surfactant replacement therapy and remaining 128 neonates enrolled in the study.
Sex as a biological variable
not detected.
Subject Demographics
Age: Inborn preterm infants with gestation age <30 weeks and birth weight <1250 g who had RDS with FiO2 requirements more than 40% and need surfactant replacement therapy were eligible.
Weight: Inborn preterm infants with gestation age <30 weeks and birth weight <1250 g who had RDS with FiO2 requirements more than 40% and need surfactant replacement therapy were eligible.
Randomization
MATERIALS AND METHODS This randomized controlled clinical trial was conducted from October 2017 to June 2018 in a tertiary neonatal intensive care unit in North West of Iran.
Blinding
For all neonates, questionnaires were completed by an NICU nurse who was unaware of the aim of the study and patients groups.
Power Analysis
not detected.
Replication

not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
By using G power soft ware (Apponic Heinrich-Heine- University, Germany) and considering reducing the rate of BPD from 66% to 42% in budesonide group with power 80% and alpha 0.05, we estimate that 64 cases are needed for each group.	G power		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Categorical data were analyzed by Chi-square test or fisher's exact test.	Chi-square test
	fisher's exact test
Normally distributed quantitative variables were compared by Student's t-test.	t-test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq