Document Identifier: **PMC8318434**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Informed consent was given by all patients or their proxies in accordance with the guidelines of the Ethics Committee on Medical Research of Kochi Medical School.
IRB: Informed consent was given by all patients or their proxies in accordance with the guidelines of the Ethics Committee on Medical Research of Kochi Medical School.
Inclusion and Exclusion Criteria
The inclusion criteria for the registry were age of 20 years or older and admission for ADHF to one of the six hospitals.
Attrition
One of them is a university hospital.
Sex as a biological variable
Anaemia was diagnosed as haemoglobin <13 gdL in men and <12 gdL in women.
Subject Demographics
Age: The population of Kochi Prefecture is approximately 706 000, and the proportion of people aged 65 years or older reached 34.7 in 2018.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Diabetes mellitus was diagnosed using haemoglobin A1c (National Glycohemoglobin Standardization Program) >=6.5 and casual blood glucose level >=200 mgdL as the standard andor assumed if the patient was taking medicine for diabetes.	National Glycohemoglobin Standardization Program		Suggestion: National Glycohemoglobin Standardization Program (RRID:SCR_015885)(link)
All statistical analyses were performed using SPSS version 21 (IBM Corporation, Armonk, NY, USA) and Microsoft R Open version 4.0.2 (Microsoft, Redmond, WA, USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)
	Microsoft R Open		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Differences in continuous variables among the three groups were assessed using one-way analysis of variance.	analysis of variance
Pearsons kh 2 test was used for comparisons between categorical variables, and Fishers exact test was used when the expected frequency was lower than 5.	Pearsons kh 2 test
	Fishers exact test
The Bonferroni post-hoc test was used to determine differences between the frailty group, prefrailty group, and non-frailty group.	Bonferroni post-hoc test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq