Document Identifier: **PMC8322489**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Informed consent was obtained from participants before this study.
IRB: The ethics committee of the First Affiliated Hospital of Guangxi Medical University approved the study.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
Each cDNA sample was repeated 3 times.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
The limma software package of R platform was used to screen the differentially expressed lncRNAs (DELs) , Samples with a P value of <.05 and log fold change (logFC) of >1 were considered DELs .	limma		Suggestion: LIMMA (RRID:SCR_010943)(link)
DAVID v6.8 , https:david.ncifcrf . gov , accessed November 1 , 2019) , which is a widely used bioinformatics resource.	DAVID		Suggestion: DAVID (RRID:SCR_001881)(link)
14 GO analysis and KEGG analysis reveals the enriched pathway of co-expressed ERGs .	KEGG		
Gene set enrichment analysis (GSEA , version 4.0.1 , http:www.broadinstitute.orggseaindex.jsp) was performed to explore the distinct functional phenotypes between the high- and low-risk groups .	Gene set enrichment analysis		Suggestion: Gene Set Enrichment Analysis (RRID:SCR_003199)(link)
Statistical analysis was performed using SPSS version 22.0 (IBM Corporation, Armonk, NY, USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
The co-expression relationship between DELs and ERGs was evaluated by performing Pearson correlation analysis .	Pearson correlation
2.3 Construction of prognostic signature Univariate Cox regression analysis between the expression levels of ERLs and the survival time of patients with HCC was performed through the survival package (version 2.44) on the R (version 3.6.1) to describe the role of ERLs on HCC survival prediction .	Cox regression
AC023157.3 F primer (5-3) GTCTGTTGTTTGTATGCTGAGTTC R primer (5-3) TTGTCTGACCCAAGTGTTCG AC099850.3 F primer (5-3) AATATGGAAACAGGAACAGGAC R primer (5-3) GGAAATCTCAAAACCCAAAGG AL031985.3 F primer (5-3) ACACCTATTCAACTTCCCCATT R primer (5-3) CCAAGGATTCCCCTAAACATC AL365203.2 F primer (5-3) TTGCCTCATTTCATGGTCTG R primer (5-3) GCCCCTGTTTTGATTCCTAT CYTOR F primer (5-3) TGGGAGATGAAACAGGAAGC R primer (5-3) CAGACAAATGGGAAACCGAC 2.7 Statistical analysis Kaplan-Meier survival analysis by log-rank test was used to compare the survival status of patients with HCC between the high- and low-risk groups.	log-rank test
Oligonucleotides	
AC023157.3 F primer (5-3) GTCTGTTGTTTGTATGCTGAGTTC R primer (5-3) TTGTCTGACCCAAGTGTTCG AC099850.3 F primer (5-3) AATATGGAAACAGGAACAGGAC R primer (5-3) GGAAATCTCAAAACCCAAAGG AL031985.3 F primer (5-3) ACACCTATTCAACTTCCCCATT R primer (5-3) CCAAGGATTCCCCTAAACATC AL365203.2 F primer (5-3) TTGCCTCATTTCATGGTCTG R primer (5-3) GCCCCTGTTTTGATTCCTAT CYTOR F primer (5-3) TGGGAGATGAAACAGGAAGC R primer (5-3) CAGACAAATGGGAAACCGAC	GGAAATCTCAAAACCCAAAGG
	CCAAGGATTCCCCTAAACATC
	TTGCCTCATTTCATGGTCTG
	GCCCCTGTTTTGATTCCTAT

2.7 Statistical analysis Kaplan-Meier survival analysis by log-rank test was used to compare the survival status of patients with HCC between the high- and low-risk groups.	

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq