Document Identifier: **PMC8322787**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: All patients provided informed consent for the intervention and data documentation.
IRB: The study was performed according to the requirements for obtaining the medical degree (Dr med.), is approved by the responsible ethics committee, adhered to the Declaration of Helsinki, and is registered at the German Registry for Clinical Trials (DRKS00020533).
Inclusion and Exclusion Criteria
Patients with implanted cardiac devices (n = 21), previous CTI ablation (n = 18), nonconvertible atrial fibrillation (n = 1), concomitant pulmonary vein isolation (n = 43), and a different catheter setting (n = 33) were excluded from this analysis.
Attrition
Patients with implanted cardiac devices (n = 21), previous CTI ablation (n = 18), nonconvertible atrial fibrillation (n = 1), concomitant pulmonary vein isolation (n = 43), and a different catheter setting (n = 33) were excluded from this analysis.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis

Statistical analysis A minimum sample size of 59 patients per group was required to detect a 35 difference in cumulative ablation duration between both ablation strategies (main hypothesis) with a statistical power of 90 at a 2-sided 5 significance level, including an addition of 15 owing to planned use of a nonparametric test.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
A 3-dimensional electroanatomic mapping (EAM) system (EnSite Velocity(tm) , since 2018 PrecisionTM Abbott , St Paul , MN) was used for catheter positioning , mapping , and ablation in all procedures .	Abbott		Suggestion: Abbott (RRID:SCR_010477)(link)
m) (Medtronic, Minneapolis, MN) and Therapy(tm) (large or X-large curve Abbott) were used for temperature-controlled ablation (50-60 W, 50-60degC) in 56 (61) and 36 patients (39), respectively.	Medtronic		Suggestion: Medtronic (RRID:SCR_003988)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Continuous variables were compared by unpaired t test or Mann-Whitney U test for normally and non-normally distributed data, respectively.	t test
	Mann-Whitney U test
The kh2 test or Fisher exact test was used for nominal variables.	kh2 test
	Fisher exact test
Correlation of continuous variables was assessed by Pearson correlation coefficient.	Pearson correlation

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq