Document Identifier: **PMC8323013**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Field Sample Permit: Materials and methods Cell culture The human lung adenocarcinoma cell line, H1975, and HUVECs were kindly provided by the Cell Bank of Type Culture Collection of the Chinese Academy of Sciences.
Consent: All participants provided oral consent after fully explanatory statements of the study .
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
Stained cells were counted in five randomly selected fields using a fluorescence microscope (DMI6000B Leica Microsystems , Inc .) in the bright field (magnification , x200) , and the number of migrated cells were counted using ImageJ software.
Blinding
not detected.
Power Analysis
not detected.
Replication

All experiments were performed in triplicate and data are presented as the mean +- SD.	
Number: All experiments were performed in triplicate and data are presented as the mean +- SD.	
Cell Line Authentication	
not detected.	
Data Information	
Identifiers: HUVECs were lysed in RIPA lysis buffer (cat. no. P00138 , Beyotime Institute of Biotechnology) .	P00138

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Cells were subsequently incubated in the dark with phycoerythrin (PE) isotype (lot , 12471482 Thermo Fisher Scientific , Inc .) and PE-labelled anti-P-selectin (1:20 dilution lot , 2265654 Thermo Fisher Scientific , Inc .) at room temperature for 30 min , and subsequently fixed with 1 paraformaldehyde (PFA) at room temperature for 10 min .	anti-P-selectin		
The membranes were blocked using 5 skimmed milk for 1 h at room temperature and incubated with primary antibodies against VEGFR2 (cat. no. ab134191 1:3,000 dilution Abcam) and b-actin (cat. no. TA-09 1:1,000 dilution OriGene Technologies , Inc .) overnight at 4degC .	VEGFR2		
	b-actin		
Experimental Models: Cell Lines			
Materials and methods Cell culture The human lung adenocarcinoma cell line, H1975, and HUVECs were kindly provided by the Cell Bank of Type Culture Collection of the Chinese Academy of Sciences.	HUVECs		Suggestion: RRID:CVCL_2959(link)
Briefly , the lower chambers were added with 1 ml of RPMI-1640 medium (10 FBS) per well for the control group , 1 ml of RPMI-1640 medium (10 FBS) plus 1x104 H1975 per well for the Exp_H group , 1 ml of RPMI-1640 medium (10 FBS) plus 1x104 H1975 and 2x106 PLTs per well for the Exp_HP group , and the upper chambers were added with 1x104 HUVECs plus 0.5 ml RPMI-1640 medium per well for all three groups .	H1975		Suggestion: RRID:CVCL_1511(link)
Software and Algorithms			
ImageJ software (version 1.52a National Institutes of Health) was used to measure the gap distance of the wound and compute the relative migration rate.	ImageJ		Suggestion: ImageJ, RRID:SCR_003070(link)
Statistical analysis Statistical analysis was performed using SPSS 23.0 software (IBM Corp.).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Unpaired Students t-test was used to compare the expression rate of P-selectin between the group of P-selectin-PE and the control group, while one-way ANOVA followed by Newman-Keuls post hoc test were used to compare differences between three groups.	t-test
	ANOVA
	Newman-Keuls post hoc test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq