Document Identifier: **PMC8326286**

# SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

**Table 1: Rigor Adherence Table**

| |
|---|
| Ethics |
| IRB: All the studies were carried out under the approval of the Ethics Committee of Affiliated Hospital of Weifang Medical University and the guidelines outlined in the Declaration of Helsinki were followed. |
| Consent: Written informed consent was obtained from each individual. |
| Inclusion and Exclusion Criteria |
| not detected. |
| Attrition |
| not detected. |
| Sex as a biological variable |
| Age 0.893 < 60 59 27 32 >= 60 66 31 35 Gender 0.660 Male 75 36 39 Female 50 22 28 Tumor size 0.072 < 5 cm 69 37 32 >= 5 cm 56 21 35 Smoking history 0.244 No 80 34 46 Yes 45 24 21 Differentiation 0.039 Well-Moderate 74 40 34 Poor 51 18 33 Lymph node metastasis 0.025 Negative 82 44 38 Positive 43 14 29 TNM stage 0.004 I-II 76 43 33 III 49 15 34 Cell Culture and Transfection Human NSCLC cell lines A549 , SK-MES-1 , H358 , H1299 , and normal epithelium cell line BEAS-2B were obtained from the Cell Bank of the Chinese Academy of Science ( Shanghai , China) . |
| Subject Demographics |
| Age: not detected. |
| Weight: not detected. |
| Randomization |
| not detected. |
| Blinding |
| not detected. |
| Power Analysis |
| not detected. |

| Replication |
| --- |
| Statistical Analysis All experiments were repeated at least three times independently and all the data were presented as mean +- SD. |
| Number: Statistical Analysis All experiments were repeated at least three times independently and all the data were presented as mean +- SD. |
| Cell Line Authentication |
| not detected. |

**Table 2: Key Resources Table**

| Your Sentences | REAGENT or RESOURCE | SOURCE | IDENTIFIER |
|---|---|---|---|
| Experimental Models: Cell Lines | | | |
| Age 0.893 < 60 59 27 32 >= 60 66 31 35 Gender 0.660 Male 75 36 39 Female 50 22 28 Tumor size 0.072 < 5 cm 69 37 32 >= 5 cm 56 21 35 Smoking history 0.244 No 80 34 46 Yes 45 24 21 Differentiation 0.039 Well-Moderate 74 40 34 Poor 51 18 33 Lymph node metastasis 0.025 Negative 82 44 38 Positive 43 14 29 TNM stage 0.004 I-II 76 43 33 III 49 15 34 Cell Culture and Transfection Human NSCLC cell lines A549 , SK-MES-1 , H358 , H1299 , and normal epithelium cell line BEAS-2B were obtained from the Cell Bank of the Chinese Academy of Science ( Shanghai , China) . | SK-MES-1 | | Suggestion: RRID:CVCL_0630( link) |
| | BEAS-2B | | Suggestion: RRID:CVCL_0168( link) |
| The relative expression of miR-4284 was calculated using the 2-DDCt method normalized to U6. Cell Proliferation Assay The cell proliferation of A549 and H1299 cells was measured using cell counting kit-8 (CCK-8 Dojindo, Japan) following the manufacturers instruction. | A549 | | Suggestion: RRID:CVCL_0023( link) |
| | H1299 | | Suggestion: RRID:CVCL_0060( link) |
| Software and Algorithms | | | |
| The statistical analysis was performed using SPSS20.0 software (IBM, Armonk, NY, USA) and GraphPad 7.0 software (GraphPad, San Diego, CA, USA). | GraphPad | | Suggestion: GraphPad Prism, RRID:SCR_002798( link) |

**Other Entities Detected**

| Your Sentences | Recognized Entity |
|---|---|
| Statistical Tests | |
| Comparisons between groups were analyzed using the Students t-test, whereas data among three or more groups were compared using one-way ANOVA. | t-test |
| | ANOVA |
| The kh 2 test was used to analyze the relationship between miR-4284 expression and clinical characteristics of NSCLC patients. | kh 2 test |
| Then, Kaplan-Meier curve with Log rank test and multiple Cox regression analysis was used to analyze the clinical prognostic significance of miR-4284. | Log rank test |

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq