Document Identifier: **PMC8326775**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: This is an observational clinical study approved by the Ethics Committee of the Affiliated Hospital of Hebei University (approved number: 201722).
IACUC: Our study was performed in accordance with the ethical guidelines of the 1975 Declaration of Helsinki.
Consent: All subjects provided written informed consent.
Inclusion and Exclusion Criteria
Inclusion criteria: (1) age 36–70 years; (2) evidence of cerebrovascular disease was present before or at the time of the first onset of depressive symptoms and patients were admitted to hospital within 3 days; (3) acute ischemic stroke was diagnosed with a cranial computed tomography (CT) or magnetic resonance imaging (MRI) examination on admission; (4) patients had clear consciousness, cooperative physical examination, no mental retardation and aphasia.
Attrition
Methods Study Subjects From October 2017 to January 2019, 80 patients diagnosed with depression following the first-ever acute ischemic stroke in the basal ganglia were enrolled in this study.
Sex as a biological variable
not detected.
Subject Demographics
Age: Inclusion criteria: (1) age 36–70 years; (2) evidence of cerebrovascular disease was present before or at the time of the first onset of depressive symptoms and patients were admitted to hospital within 3 days; (3) acute ischemic stroke was diagnosed with a cranial computed tomography (CT) or magnetic resonance imaging (MRI) examination on admission; (4) patients had clear consciousness, cooperative physical examination, no mental retardation and aphasia.
Randomization
not detected.
Blinding
not detected.

Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Statistical Methods Statistical analysis was performed with SPSS version 19.0 software (SPSS Inc., Chicago, IL, USA).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
The Chi-square (x 2) test was used for the comparison of enumeration data, t-test or analysis of variance was used for the comparison of measurement data.	Chi-square (x 2) test
	t-test
	analysis of variance
The correlation between HAMD scores and the levels of serum iNOS and MIP-1α was analyzed by the Pearson correlation coefficient analysis.	Pearson correlation

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq