Document Identifier: **PMC8327686**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
Likewise, reads derived from the NTS and hybrid reads were excluded from TS conversion analysis.
Attrition
QUANTIFICATION AND STATISTICAL ANALYSIS Statistical analysis of patient breakpoints tA total of 60 published and unpublished junctional sequences for E2A-PBX1 translocations from 49 patient and 12 junctional sequences for E2A-HLF translocations from 8 patients were used for statistical analysis in this study.
Sex as a biological variable
not detected.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
Therefore, the sequence of molecules with the same barcode can be aligned to the reference sequence in the analyses to eliminate random mutations that occurred during PCR (not from AID deamination activity).
Blinding
not detected.
Power Analysis
not detected.
Replication
All experiments were repeated at least twice for validation.

Number: All experiments were repeated at least twice for validation.
Cell Line Authentication
not detected.
Code Information
Availability: Any additional information required to reanalyze the data reported in this paper is available from the lead contact upon request.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Cell Lines			
A total of 1,291 and 2,144 reads were included in the calculation of cytosine conversion rate on the NTS and TS of native bisulfite treated Nalm-6 cells, respectively.	Nalm-6		Suggestion: RRID:CVCL_0092(link)
Recombinant DNA			
AID deamination activity during T7 RNA polymerase transcription The 570 bp substrates for wild-type (WT) E2A, mut1, and mut2 containing the T7 promoter were generated by digestion of pDL14, pDL31, and pDL32, respectively, with BlpI and XhoI at 37degC for 2 hours in 1x CutSmart buffer followed by native PAGE (5) purification.	pDL14		Suggestion: RRID:Addgene_17837(link)
	pDL31		
	pDL32		
Software and Algorithms			
Lieber lab NA sodium bisulfite Sigma Cat S-9000 sodium hydroxide J.T.Baker Cat 3722-01 hydroquinone Sigma CatH-9003 (NH4)2SO3*H2O Wako Cat 7783-11-1 50 NH4HSO3 Wako Cat 014-02905 Oligonucleotides Sequences listed in Table S1 Integrated DNA Technologies NA Recombinant DNA Human GST-AID Pham et al., 2019 NA Software and algorithms Matlab2018a Mathworks NA Microsoft Excel Microsoft NA Others Wizard(r) DNA Clean-Up System Promega CatA7280 HighPrep PCR system MAGBIO Cat AC-60050 RESOURCE AVAILABILITY Lead contact Further information requests may be directed to, and will be fulfilled by, the Lead Contact, Dr. Michael R.	Microsoft Excel		Suggestion: Microsoft Excel, RRID:SCR_016137(link)
In other cases (e.g., the effect of RNase A, wt E2A with mut1, and wt E2A with mut2), the mutation rates after appropriate background subtraction were used (see MDS data analysis section in STAR Methods for details about the background subtraction).	STAR		Suggestion: STAR (RRID:SCR_004463)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
The Students t test and the Mann-Whitney U-test are two different tests for proximity of the E2A breakpoints to a given motif (Tsai et al., 2008).	t test
	Mann-Whitney U-test
Statistical analyses in native bisulfite conversion rates and AID mutation rates The Mann-Whitney U test was used in all analyses.	Mann-Whitney U test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq