Document Identifier: **PMC8327847**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
Inclusion criteria were original report of a single RCT in a population with RA, parallel design, drug therapy intervention and a clinical primary endpoint.
Attrition
not required.
Sex as a biological variable
not required.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
29 An adequate description of study participant flow was defined as a clear description of the number of subjects who were randomised, number completing and not completing the study with reasons, and number analysed for the primary outcome.
Blinding
not detected.
Power Analysis
Funding source, experimental agent used, study phase, study duration, study outcome, sample size calculation, participant flow description, overall subject dropout, self-reported data analysis method, actual data analysis method used (determined by study reviewers), missing data proportion and missing data handling methods were assessed.
Replication

not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Methods Literature search and RCT selection MEDLINE and Cochrane Central Register of Controlled Trials databases were searched using terms rheumatoid arthritis and arthritis, rheumatoid with limits of Clinical Trials & years 2002-3, 2006-7, 2010-11 and 2016.	Cochrane Central Register of Controlled Trials		Suggestion: Cochrane Central Register of Controlled Trials (RRID:SCR_006576)(link)
SPSS V.21 was used for data analysis.	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Comparison of RCT characteristics among trials using different analysis approaches and temporal changes from 2006 to 2016 was assessed using Pearsons Kh2 tests, Fishers exact test or likelihood ratio tests (for categorical variables) and Mann-Whitney U tests or Kruskal-Wallis tests (for continuous variables).	Pearsons Kh2 tests
	Fishers exact test
	Mann-Whitney U tests
	Kruskal-Wallis tests

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq