Document Identifier: **PMC8329970**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Each participant read and signed an informed consent form consistent with the principles outlined in the Declaration of Helsinki.
IRB: The Ethics Committee of the Lithuanian University of Health Sciences approved this study.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
MATERIALS AND METHODS Participants Healthy male students (n = 19) (21.2 ± 1.7 years; height – 1.82 ± 0.41 m, body weight – 79.9 ± 4.5 kg; body mass index – 24.3 ± 2.1 kg/m2) volunteered to participate in this study.
Subject Demographics
Age: MATERIALS AND METHODS Participants Healthy male students (n = 19) (21.2 ± 1.7 years; height – 1.82 ± 0.41 m, body weight – 79.9 ± 4.5 kg; body mass index – 24.3 ± 2.1 kg/m2) volunteered to participate in this study.
Weight: MATERIALS AND METHODS Participants Healthy male students (n = 19) (21.2 ± 1.7 years; height – 1.82 ± 0.41 m, body weight – 79.9 ± 4.5 kg; body mass index – 24.3 ± 2.1 kg/m2) volunteered to participate in this study.
Randomization
Six series of 60-s MVC were performed every 3 min (Figure 1); during the first session , these were performed at SL , while during the second session after a 3–5-day break , they were performed with the other leg and at LL (selection of right or left leg for each session was randomized) .
Blinding
not detected.
Power Analysis

not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
EMG signals were amplified (gain = 1000) , band-pass filtered (10 Hz–5 kHz) , digitized online (sampling rate 2 kHz) , and recorded simultaneously using AcqKnowledge 4.1 software (BIOPAC Systems Inc .	AcqKnowledge		Suggestion: AcqKnowledge Software (RRID:SCR_014279)(link)
Statistical analyses were performed using IBM SPSS Statistics software (v .	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
The data were tested for normality using the Kolmogorov–Smirnov test , and all were found to be normally distributed.	Kolmogorov–Smirnov test
Two-way analysis of variance (ANOVA) for repeated measures (general linear mixed model) was used to determine the effect of six series of 60-s MVC (the effect of HVHIE) (six levels) and the effect of muscle length (SL vs. LL) on different parameters of skeletal muscle performance and EMG (both factors are within-subjects factors) .	analysis of variance
	ANOVA
Mauchly's test was implemented to check the assumption of sphericity , and if the assumption of sphericity was not met , a Greenhouse–Geisser correction was applied to the data .	Mauchly's test
Post hoc testing was performed if significant effects were found via application of the paired t test using Bonferroni correction for multiple comparisons .	t test
	Bonferroni

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq