Document Identifier: **PMC8335584**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IACUC: The animal experimental protocol was approved by the Institutional Animal Care and Use Committee of CMU (approval no. AEEI-2020-009 on 20191230).
Euthanasia Agents: The mice were anesthetized by intraperitoneal injection of pentobarbital sodium (60 mgkg) .
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
Materials and methods Animals and treatments A total of 40 male wild-type mice (C57BL6 age, 8-12 weeks) were purchased from Capital Medical University (CMU Beijing, China).
Subject Demographics
Age: Isolation of primary mouse hepatocytes Hanks solution containing collagenase was used to perfuse mouse livers when the mice were 7 weeks old, and, as described previously, live hepatocytes were separated using Percoll isocratic centrifugation at 4degC for 10 min at 10,000 x g (25).
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
Per condition, 50 cells were counted, and the experiment was repeated at least three times.

Number: Per condition, 50 cells were counted, and the experiment was repeated at least three times.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
The membranes were blocked with 5 skimmed milk at room temperature for 1 h , and incubated overnight at 4degC with the following primary antibodies: b-actin (1:1,000 cat. no. 8457S Cell Signaling Technology , Inc .) , p-JNK (1:1,000 cat. no. 4668S Cell Signaling Technology , Inc .) , p-ERK (1:1,000 cat. no. 4348S Cell Signaling Technology , Inc .) , p-p38 (1:1,000 cat. no. 9215S Cell Signaling Technology , Inc .)	p-JNK		Suggestion: (Santa Cruz Biotechnology Cat# sc-6254, RRID:AB_628232)(link)
	p-ERK		Suggestion: (Santa Cruz Biotechnology Cat# sc-7383, RRID:AB_627545)(link)
	p-p38		
Recombinant DNA			
Primary hepatocytes were transfected with the GFP-LC3 plasmid (1 ugml Shanghai Genepharma Co., Ltd.) for 12 h at 37degC, and were treated with serum-free medium for 4 h at 37degC.	GFP-LC3		
Software and Algorithms			
A total of 20 ug protein per sample was loaded onto a 12 SDS gel , resolved using SDS-PAGE at 80 V for 30 min and 120 V for 1 h , and then transferred to a PVDF membrane using a Bio-Rad blotting transfer system (Bio-Rad Laboratories , Inc .) .	Bio-Rad Laboratories		Suggestion: Bio-Rad Laboratories (RRID:SCR_008426)(link)
Densitometry analysis was performed using ImageJ (version 1.49p National Institutes of Health) .	ImageJ		Suggestion: ImageJ, RRID:SCR_003070(link)
Statistical differences were determined using one-way ANOVA followed by Bonferronis post hoc analysis in GraphPad Prism version 7 (GraphPad Software, Inc.). P<0.05 was considered to indicate a statistically significant difference.	GraphPad Prism		
	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Survival analysis was conducted using a Kaplan-Meier plot with the log-rank test, and the P-value was corrected a by Bonferronis test.	log-rank test
	Bonferronis test
Statistical differences were determined using one-way ANOVA followed by Bonferronis post hoc analysis in GraphPad Prism version 7 (GraphPad Software, Inc.). P<0.05 was considered to indicate a statistically significant difference.	ANOVA
	Bonferronis

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq