SciScore: 5
What's this?

Document Identifier: **PMC8361292**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Patients written and oral consent were obtained.
Inclusion and Exclusion Criteria
Inclusion criteria for the glaucoma and the control groups included best-corrected visual acuity of 120 or better, refractive error between -7.00 and +3.00 diopters, absence of media opacities that could compromise the OCT images quality.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Each image was loaded into the ImageJ software and processed using the Otsu auto selecting algorithm 6.	ImageJ		Suggestion: ImageJ, RRID:SCR_003070(link)
SPSS v24 was used for data analysis.	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
2.3 Statistical analysis Independent t-test was used for the comparison of the demographic and clinical data, OCT angiography vessel density parameters, RNFL thickness, and GCC thickness between the control group and the glaucoma group.	t-test
One-way analysis of variance with post hoc analysis by using Bonferroni method was performed for multiple comparisons between the groups.	analysis of variance
	Bonferroni
Categorical variables were compared using the chi-square test or Fishers exact test.	chi-square test
	Fishers exact test
Spearmans rank correlation test and linear and nonlinear quadratic models with adjusted R2 test were used to investigate the correlation between vessel density parameters and other variables.	Spearmans rank correlation test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq