Document Identifier: **PMC8361667**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
The study inclusion criteria were: definitive diagnosis of MS based on the 2010 revision of McDonald criteria, 17 age more than or equal to 18 years, mental ability to answer questions, stable clinical status (lack of recurrence in the past 3 months and of disability worsening, defined as 1.0-point increase if baseline EDSS score was < 5.5 or 0.5-point increase if baseline EDSS score was >= 5.5 confirmed 6 months apart and sustained at the end of the follow-up period), 18 lack of LUTS before the onset of MS, lack of history of pelvic surgeryradiotherapy or bladder stones and lack of history of benign prostatic hyperplasia (BPH) or prostate surgery (through patient self-report).
Attrition
not required.
Sex as a biological variable
not detected.
Subject Demographics
Age: The study inclusion criteria were: definitive diagnosis of MS based on the 2010 revision of McDonald criteria, 17 age more than or equal to 18 years, mental ability to answer questions, stable clinical status (lack of recurrence in the past 3 months and of disability worsening, defined as 1.0-point increase if baseline EDSS score was < 5.5 or 0.5-point increase if baseline EDSS score was >= 5.5 confirmed 6 months apart and sustained at the end of the follow-up period), 18 lack of LUTS before the onset of MS, lack of history of pelvic surgeryradiotherapy or bladder stones and lack of history of benign prostatic hyperplasia (BPH) or prostate surgery (through patient self-report).
Randomization
not detected.
Blinding
not detected.
Power Analysis

not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
2.4 Statistical analysis Statistical analysis was realized using the Statistical Package for Social Science (SPSS) program.	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
The appropriate statistical tests (Mann-Whitney U test, Kruskal-Wallis test, kh 2 test, and multinomial logistic regression) were used for the analysis of the results.	Mann-Whitney U test
	Kruskal-Wallis test
	kh 2 test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq