Document Identifier: **PMC8361986**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: All three studies comply with the Declaration of Helsinki , and the respective local ethics committees approved each study .
Consent: All participants provided written informed consent .
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
TABLE 1 Sociodemographic and clinical characteristics of participants in the three included studies for short follow-up analyses: CAIDE , H70 , and KP Short follow-up (all data) N Women (n = 1596) Men (n = 693) P-value Dementia cases 2289 371 (16.2 %) 95 (4.2 %) <0.001 Baseline age (range 65–101) 2289 76.0 (6.9) 73.6 (6.0) <0.001 Age > 80 years at follow-up 2278 861 (76.3 %) 730 (63.5 %) <0.001 Follow-up time 2278 6.0 (2.5) 6.5 (2.4) <0.001 Education (range 0–48) 1633 0–7 years: 439 (54.7 %) 8–14 years: 340 (42.3 %) 14+ years: 24 (3.0 %) 0–7 years: 96 (39.3 %) 8–14 years: 96 (39.3 %) 14+ years: 52 (21.3 %)
Subject Demographics
Age: Participants were first examined at mid-life (age range: 40–64) in the North Karelia Project and the Finnish part of the World Health Organization MONICA (Multinational Monitoring of Trends and Determinants in Cardiovascular Disease) project, the FINMONICA study, with baseline assessments in one of the following years: 1972, 1977, 1982, or 1987.
Randomization
John Wiley & Sons , Ltd. 2.4 Multidomain lifestyle intervention trial The Finnish Geriatric Intervention Study to Prevent Cognitive Impairment and Disability (FINGER) is a 2-year population-based multidomain randomized controlled trial.
Blinding
not detected.

Power Analysis	
not detected.	
Replication	
not required.	
Protocol Information	
Identifiers: (ClinicalTrials.gov Identifier: NCT01041989).	NCT01041989 Warning: study registration date January 4, 2010 is after study start date September 2009

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Estimates for the change in cognition in the intervention and control groups within each subgroup (men and women) as well as the difference of these estimates were obtained from the mixed models with the linear combinations of estimators (lincom) post-estimation command in STATA.	STATA		Suggestion: Stata (RRID:SCR_012763)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
For baseline characteristics, we used χ2 tests for categorical variables (data reported as percentages) and binary logistic regressions with sex as outcome for continuous variables (data reported as means [SD]).	χ2 tests

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq