Document Identifier: **PMC8364918**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Written informed consent was obtained (once FEP patients were deemed to have capacity to give consent 28) prior to enrollment in this UAB Institutional Review Board approved study.
IRB: Written informed consent was obtained (once FEP patients were deemed to have capacity to give consent 28) prior to enrollment in this UAB Institutional Review Board approved study.
Inclusion and Exclusion Criteria
Patients and HC were excluded if they had major neurological or medical conditions, history of head trauma with loss of consciousness, substance use disorders (excluding nicotine and cannabis) within one month of imaging, were pregnant or breastfeeding, or had MRI contraindications.
Attrition
In case of excessive side effect burden , as determined by a study physician , patients were switched to aripiprazole started at 2-5 mg and titrated in 2.5-10 mg increments (two patients were switched to aripiprazole one developed hyperprolactinemia within the first week of using risperidone , the second was switched after 7 weeks of treatment due to irritability) .
Sex as a biological variable
not detected.
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.

Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Organisms/Strains			
DMN Regions of Interest White matter tracts comprising the DMN were defined as outlined by Alves and colleagues. 40 These tracts were obtained from the IIT4 atlas and were the following: LR cingulum, LR uncinate, LR superior and LR inferior longitudinal fasciculus, and LR arcuate fasciculus (figure 1A).	Interest White		
Software and Algorithms			
Preprocessing of DWI images was performed in TORTOISE (version 3.1.2).	TORTOISE		Suggestion: TORTOISE (RRID:SCR_001645)(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
All analyses were controlled for multiple comparisons using the false discovery rate (FDR) correction method by Benjamin and Hochberg.	Benjamin and Hochberg

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq