Document Identifier: **PMC8365334**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: Approval of the ethics and biosafety committees This study was approved by the Commission for Ethics in the Use of Animals of UNICAMP (protocol no. 2661-1) and the Internal Commission of Biosafety of CNPEM (file no. MCB3-090114)
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
Immunomagnetic isolation of primary CD4 and CD8 T cells Isolation of CD4 and CD8 was performed from spleens of 8- to 12-week-old C57BL6 male mice.
Subject Demographics
Age: Immunomagnetic isolation of primary CD4 and CD8 T cells Isolation of CD4 and CD8 was performed from spleens of 8- to 12-week-old C57BL6 male mice.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.
Cell Line Authentication

not detected.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
The efficiency of these isolations was routinely higher than 90 as assessed by flow cytometry using antibodies for CD4 and CD8 .	CD4		
	CD8		
CFSE-labeled CD8+ cells stained with CFSE and the APCs were plated with anti-CD3e antibody (clone 145-2C11 , TONBO Biosciences , USA) at 0.5 mgmL .	anti-CD3e		
Experimental Models: Cell Lines			
Mice (n = 10 per group) were injected into the right flank s.c. with 5 x 104 B16F10 cells in 100 mL of PBS, then treated on days 1, 4, and 7 post-implantation with 1 x 106 irradiated B16F10-GVAX cells (50 Gy) on the left flank of the animals and intraperitoneal (i.p.) injection of aptamers (250 pmol).	B16F10		Suggestion: RRID:CVCL_0159(link)
	B16F10-GVAX		
Experimental Models: Organisms/Strains			
Animal studies The animals used in this work were 6- to 8-week-old male C57BL6 mice.	C57BL6		Suggestion: RRID:IMSR_JAX:000664(link)
Recombinant DNA			
Viral production and titration Viral vectors were generated from a pLKO backbone with the reporter CD90.1	pLKO		Suggestion: RRID:Addgene_21964(link)
Software and Algorithms			
55 The RNAi candidates with high affinity for the chosen regions were analyzed by BLAT 56 and checked for low predicted off-target effects.	BLAT		Suggestion: BLAT (RRID:SCR_011919)(link)
The methylation analyses were done with the Bisulfite sequencing DNA Methylation Analysis (BISMA) tool .	BISMA		Suggestion: BISMA (RRID:SCR_000688)(link)
Statistical analysis Data were analyzed with Prism 7.0 (GraphPad).	Prism		
	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Mean similarity was calculated using Pearsons correlation coefficient .	Pearsons correlation
Statistical significance was determined by unidirectional ANOVA and Dunnetts multiple comparison test.	ANOVA
	Dunnetts multiple comparison test
The Mantel-Cox log-rank test was used to compare survival curves for different groups (*p <= 0.05, **p <= 0.005, ***p <= 0.001).	Mantel-Cox log-rank test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq