Document Identifier: **PMC8367657**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
not required.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
The SWISS-MODEL template library (SMTL version 2020-12-23, PDB release 2020-12-18) was searched with BLAST 22 and HHBlits 23 for related evolutionary structures matching the target sequence.	BLAST		
The SWISS-MODEL structure assessment page runs MolProbity version 4.4.	MolProbity		Suggestion: MolProbity, RRID:SCR_014226(link)
We converted the 3D-SDF structures into Mol2 form using Open Babel version 2.4.1 31.	Babel		Suggestion: Babel (RRID:SCR_004307)(link)
The parameter mentioned above file was generated through the ADT 4.2 tool.	ADT		
Further, in silico drug screening among the selected 1565 FDA-approved drugs were performed using AutoDock Vina with default configuration parameters with an exhaustiveness value of 8 to evaluate potentially effective drug candidates based on the favourable binding energy of the individual drug 34.	AutoDock		Suggestion: AutoDock (RRID:SCR_012746)(link)
The docked structure from the ClusPro 2.2 webserver was also analysed using PyMol. 2.2.6 Assessment of drug likeness of the ligands (ADME analysis) As a standard recommended protocol to check the candidature of any ligands as potential drug molecules, the ADME analysis is used to verify the various physicochemical parameters of the molecule.	ClusPro		
	PyMol		Suggestion: PyMOL (RRID:SCR_000305)(link)
The SMILES form of the ligands retrieved from the ZINC database were used as input structures in the Swiss ADME analysis server.	ZINC		Suggestion: Zinc (RRID:SCR_008596)(link)
We used the previously reported and highly cited PRODRG Server to generate the ligand topology files for smooth analysis in the GROMACS environment 43, 44.	GROMACS		

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences

that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq