Document Identifier: **PMC8374743**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: This research was approved by institutional review boards or ethics committees at each study site.
Consent: All patients or their legal guardian provided written informed consent.
Inclusion and Exclusion Criteria
Patients with substantial psychiatric conditions or with current or past medical history of conditions that were associated with thrombocytopenia, coagulopathy, platelet dysfunction, or disseminated herpes were excluded; those with a history of herpes labialis were allowed to participate.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: Eligible patients were aged 12 to 17 years with a body weight of 55 lb or greater (limit determined based on pharmacokinetic modeling) and a confirmed diagnosis of AD according to the diagnostic criteria of Hanifin and Rajka. 15 Patients had moderate-to-severe AD (Investigator’s Global Assessment [IGA] score of ≥3; Eczema Area and Severity Index [EASI] 16 score of ≥16; affected percentage of body surface area [BSA], ≥10; and Peak Pruritus Numerical Rating Scale [PP-NRS (used with permission of Regeneron Pharmaceuticals and Sanofi SA)] score of ≥4 17) at baseline.
Randomization
Methods Study Design and Participants JADE TEEN was a multicenter, international, phase 3, randomized, placebo-controlled, parallel-group study conducted between February 18, 2019, and April 8, 2020, in Australia, China, Czech Republic, Germany, Hungary, Italy, Japan, Latvia, Mexico, Poland, Spain, Taiwan, the UK, and the US (Supplement 1 and Supplement 2).
Blinding
not detected.

Power Analysis
Statistical Analysis Sample size calculation was based on the Fisher exact test for comparing 2 proportions (eMethods in Supplement 3) .
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Software and Algorithms			
Statistical analyses were conducted using SAS, version 9.4 (SAS Institute).	SAS		
	SAS Institute		Suggestion: Statistical Analysis System, RRID:SCR_008567(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical Analysis Sample size calculation was based on the Fisher exact test for comparing 2 proportions (eMethods in Supplement 3) .	Fisher exact test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq