Document Identifier: **PMC8375452**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
Consent: Both UMass affiliates and their household members had to complete online consent forms in order to participate in the study.
Inclusion and Exclusion Criteria
UMass affiliates were eligible to participate in this study if they were above the age of 18, had been living in Massachusetts for the past 8 weeks, had never received a COVID-19 diagnosis from a medical professional, and did not have a fever greater than 100.4 degF at the time of survey completion.
Attrition
No participants reported a COVID-19 diagnosis between the initial survey and sample collection several weeks later .
Sex as a biological variable
Table 1 Demographics of study populations , SARS-CoV-2 serology surveys in university-affiliated populations , Massachusetts July-August 2020 Characteristic Primary sampling group (n=779) Secondary sampling group (n=292) Gender Female 499 (64.1) 154
Subject Demographics
Age: not detected.
Weight: not detected.
Randomization
Within the primary sampling group, selection for biosample collection used probability proportional to population size, using the most recent census data aggregated to state-level emergency response regions due to sparse county-level populations (figure 1).17 For the secondary sampling group, selection for biosampling was via simple random sampling.
Blinding
not detected.
Power Analysis

The secondary sampling group (n=250) sample size was based on logistic limitations , but was powered to a precision of 2.8 to 8.8 .
Replication
not required.
Cell Line Authentication
not detected.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Samples were then assayed for SARS-CoV-2 antibodies according to published protocols.	SARS-CoV-2		
Batches were controlled for purity by SDS-PAGE followed by Coomassie staining and ELISA using an anti His-tag monoclonal antibody .	anti His-tag		
Samples were tested against IgG , and positive samples were confirmed and then tested with anti-IgM antibodies .	IgG		
	anti-IgM		
Experimental Models: Cell Lines			
18 19 The RBD protein was produced in-house via transfection of HEK293T cells using polyethylenimine (plasmid was a generous gift from Florian Krammer , Mt . Sinai School of Medicine) .	HEK293T		Suggestion: RRID:CVCL_0063(link)
Software and Algorithms			
All survey responses were collected and stored in REDCap.	REDCap		Suggestion: REDCap (RRID:SCR_003445)(link)
R version 4.0.3 and SAS version 9.4 (SAS Institute, Inc, Cary, NC, USA) were used for analysis.	SAS Institute		Suggestion: Statistical Analysis System, RRID:SCR_008567(link)

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq