Document Identifier: **PMC8377092**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IACUC: Animal experiments followed the Guide for the Care and Use of Laboratory Animals and were approved by the University of Minnesota Institutional Animal Care and Use Committee.
IRB: Samples were obtained with institutional review board approval.
Inclusion and Exclusion Criteria
not detected.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: At 6 weeks of age, mice received a normal chow diet (NCD) or high-fat high-carbohydrate diet (HFHC) (40kcal palm oil, 20kcal fructose, and 2 cholesterol) supplemented with 42 gL of carbohydrates in the drinking water (55 fructose, 45 sucrose Sigma-Aldrich, St. Louis, MO).
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Organisms/Strains			
Experimental Procedures Experimental Animals Wild-type (WT) C57BL6J, mMT,(15) Cd19cre,(16) and Myd88fl (17) mice on the C57BL6J background were purchased from Jackson Laboratory (Bar Harbor, ME).	Myd88fl		
	C57BL6J		Suggestion: RRID:IMSR_JAX:000664(link)
Nur77GFP mice(18) were gifted by Kristin A.	Nur77GFP		
Software and Algorithms			
Human Specimens Fecal microbiota samples were collected from participants of the Minnesota Microbiota Therapeutics Donor Program and the Cincinnati Childrens Medical Center for NAFLD.	Therapeutics Donor Program		
Statistical Analysis Statistical significance between means was determined with an unpaired Student t test using GraphPad Prism 8.3 (La Jolla, CA).	GraphPad		Suggestion: GraphPad Prism, RRID:SCR_002798(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Differential expression testing was performed using the Wilcoxon rank-sum test.	Wilcoxon rank-sum test
Statistical Analysis Statistical significance between means was determined with an unpaired Student t test using GraphPad Prism 8.3 (La Jolla, CA).	t test
Spearmans rank test was used to determine correlation.	Spearmans rank test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq