Document Identifier: **PMC8379522**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
not detected.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
not required.
Cell Line Authentication
not detected.

Data Information	
Identifiers: Quantify 1 mL of purified DNA by Qubit HS DNA kit (ThermoFisher Q32851) following manufacturers instructions Example amounts of DNA recovered Histone mark: 15-20 ngmL TF: 10-15 ngmL IgG isotype control: <10 ngmL 47 .	Q32851

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
To each condition , add the appropriate amount of antibody or corresponding normal isotype IgG control (typically 2.5 mg of each , but exact concentration should be determined experimentally) 10 .	corresponding normal isotype IgG		
To asses protocol efficacy , it is recommended to run , in parallel , a control CUT&RUN with an antibody against a histone mark .	antibody against a histone mark .		
Experimental Models: Cell Lines			
We successfully used this protocol on SNU398, K562, and NB4 cell lines. b.	K562		Suggestion: RRID:CVCL_0004(link)
	NB4		Suggestion: (RRID:CVCL_0005)(link)
Recombinant DNA			
Dissolve the pellet in 25 mL of 1 mM Tris-HCl (pH8) and 0.1 mM EDTA (i.e. , 0.1x TE) Step 5: Quality control Timing: 1 h 46 .	pH8		
Software and Algorithms			
Step 7: Sequencing with MiniSeq (illumina): 4 h 81 .	MiniSeq		
Firstly , trimmomatic is run to remove poor quality bases from both the start and the end of the reads while also removing any potential adapter sequences that might be found.	trimmomatic		Suggestion: Trimmomatic (RRID:SCR_011848)(link)
Once the reads are cleaned up , alignment to the reference genomes is performed using BWA followed by Stampy .	BWA		
	Stampy		
For additional information on interpreting the output of Picard , refer to the official documentation on the Broad website.	Picard		
It is evident from user forums however that some users prefer to use the MEME-Suite of tools in preference to HOMER for motif discovery.	HOMER		

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences

that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq