Document Identifier: **PMC8380609**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: This study was approved by a US ethical institutional review board in accordance with local law.
Consent: Advarra, a US-based institutional review board, reviewed study documents (protocol, informed consent form, and patient survey) prior to completion of any patient data.
Inclusion and Exclusion Criteria
Participants were screened for eligibility electronically as part of the survey and were included if they were >= 18 years old, had a self-reported clinician diagnosis of SLE, and were able to read, speak, and understand English.
Attrition
Participants Participants were recruited from various sources including: two patient proprietary databases and four patient panels (confirmed as being pre-profiled as having a diagnosis of Lupus) as well as supplementary ad hoc clinician referrals from various geographical locations in the US.
Sex as a biological variable
not detected.
Subject Demographics
Age: Participants were screened for eligibility electronically as part of the survey and were included if they were >= 18 years old, had a self-reported clinician diagnosis of SLE, and were able to read, speak, and understand English.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication

not required.
Cell Line Authentication
Authentication: LupusPRO(tm) 15 is a 43-item SLE-targeted measure of HRQoL and non-HRQoL over the past 4 weeks that has been validated for SLE assessment in the US 16.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical Analysis Associations between categorical data were analyzed by chi-square test or Fisher test (for n < 5).	chi-square test
	Fisher test
Normality was assessed by Kolmogorov-Smirnov test.	Kolmogorov-Smirnov test
Means were compared by t-tests (two groups) or analysis of variance (three or more groups) for normally distributed data and by Kruskal-Wallis test for non-normally distributed data.	t-tests
	analysis of variance
	Kruskal-Wallis test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq