Document Identifier: **PMC8382724**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
not required.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
Statistics All experimental treatments were repeated three times .
Number: Statistics All experimental treatments were repeated three times .

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Antibodies			
Waltham , MA , USA) , PCNA , MMP-9 , a-SMA , and calponin (Cell Signaling Technology , Boston , MA , USA) expressions were determined by western blot using the corresponding primary antibody .	Waltham		
	MA		
	USA		
	PCNA		
	MMP-9		
	a-SMA		
	calponin (Cell Signaling Technology , Boston , MA , USA) expressions		
22 Magnetic beads conjugated with human anti-Ago2 antibody (Millipore) or anti-IgG (negative control) were used to treat lysed cells at 4 for 24 h .	anti-Ago2		
	anti-IgG		
Software and Algorithms			
MATERIALS AND METHODS Screening of candidate mRNA, miRNA, and lncRNA based on bioinformatics We downloaded pediatric asthma-related expression profiling data from the GEO database, and obtained differential expressions of mRNAs by performing the difference analysis (log2FC >1, adj.P.Val<0.05) by the Limma package pair separately.	Limma		Suggestion: LIMMA (RRID:SCR_010943)(link)
Then, the upstream miRNA of SLC26A2 was predicted by TargetScan.	TargetScan		Suggestion: TargetScan (RRID:SCR_010845)(link)
(BeiNa Biological , Beijing , China) were incubated in DMEM medium with 10 FBS (Gibco , Grand Island , NY , USA) , 1 penicillin-streptomycin (Invitrogen , Carlsbad , CA , USA) , and placed in a humidified incubator at 37 , 5 CO2 .	BeiNa Biological		
Cells were incubated in 96-well plates with 200 uL of 5 mgmL MTT (Sigma , St . Louis , MO , USA) .	Sigma		Suggestion: sigma-tau (RRID:SCR_000488)(link)
The results are presented as mean +-SD , and were plotted by Prism software (Graphpad Software Inc . ,	Prism		
	Graphpad		

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical comparisons were conducted by Students t test or one-way analysis of variance, and a p-value<0.05 was considered a statistically significant difference.	t test
	analysis of variance
Oligonucleotides	
The primer sequences used were as follows: MiR-9-5p: 5-GCG TCT TTG GTT ATC TAG CTG TA-3 (forward) , 5-AGT GCA GGG TCC GAG GTA TT-3 (reverse) NEAT1: 5-TGG CTA GCT CAG GGC TTC AG-3 (forward) , 5-TCT CCT TGC CAA GCT TCC TTC-3 (reverse) SLC26A2: 5-CCA GAT GTG GAG GAT TAG CAG AAT GG-3 (forward) , 5-ACA GCT TCA TAA TCT CTG CGA ACT TCT TTC AGT GT-3 (reverse) U6: 5-GCT TCG GCA GCA CAT ATA CTA AAA T-3 (forward) , 5-CGC TTC ACG AAT TTG CGT GTC AT-3 (reverse)	5-GCG TCT TTG GTT ATC TAG CTG TA-3
	5-AGT GCA GGG TCC GAG GTA TT-3
	5-TGG CTA GCT CAG GGC TTC AG-3
	5-TCT CCT TGC CAA GCT TCC TTC-3
	5-CCA GAT GTG GAG GAT TAG CAG AAT GG-3
	5-ACA GCT TCA TAA TCT CTG CGA ACT TCT TTC AGT GT-3
	5-GCT TCG GCA GCA CAT ATA CTA AAA T-3
	5-CGC TTC ACG AAT TTG CGT GTC AT-3
GAPDH: 5-CAT GGC CTT CCG TGT CCC CA-3 (forward) , 5-TGC TTC ACC ACC TTC TTG ATG-3 (reverse) .	5-CAT GGC CTT CCG TGT CCC CA-3
	5-TGC TTC ACC ACC TTC TTG ATG-3

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq