SciScore: 4
What's this?

Document Identifier: **PMC8387993**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
not required.
Inclusion and Exclusion Criteria
not required.
Attrition
not required.
Sex as a biological variable
not detected.
Subject Demographics
Age: not required.
Weight: not required.
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.
Replication
This procedure was repeated two times to completely exchange H2O with D2O , and the polysaccharides were finally dissolved in 1 mL of D2O at room temperature for 3 h before NMR analysis .
Number: This procedure was repeated two times to completely exchange H2O with D2O , and the polysaccharides were finally dissolved in 1 mL of D2O at room temperature for 3 h before NMR analysis .

Cell Line Authentication
not detected.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Cell Lines			
52 In brief , adherent RAW 264.7 cells in 96-well plates (1 × 105 cells/well) were treated at different concentrations of SP , PSP-1 , and PSP-2 (100–1000 μg/mL) and LPS (2 μg/mL) for 48 h , and then the culture medium was abandoned.	RAW 264.7		Suggestion: RRID:CVCL_0493(link)
Software and Algorithms			
Statistical analyses were performed using the statistical package for Social Sciences (SPSS) version 17.0 (SPSS Inc., Chicago, IL).	SPSS		Suggestion: SPSS, RRID:SCR_002865(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
Statistical analysis was performed by one-way analysis of variance (ANOVA).	analysis of variance
	ANOVA
Oligonucleotides	
RT-PCR was carried out using a two-step RT-qPCR system kit (Takara, China) with the following primer sequences: 5#-TACTCGGCAAACCTAGTGCG-3# (forward) and 5#-GTGTCCCAACATTCATATTGT CAGT-3# (reverse) for mouse IL-6, 5#-TTTGTCAAGCTCATTTCCTGG TATG-3# (forward) and 5#-TGGGATAGGGCCTCTCTTGC- 3# (reverse) for mouse Gapdh.	5#-TACTCGGCAAACCTAGTGCG- 3#
	5#-GTGTCCCAACATTCATATTGT CAGT-3#
	5#-TTTGTCAAGCTCATTTCCTGG TATG-3#
	5#-TGGGATAGGGCCTCTCTTGC- 3#

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq