Document Identifier: **PMC8404206**

SciScore Report

Below you will find your SciScore report containing three tables. Your score is calculated based on adherence to scientific rigor criteria (Table 1) and identification of key biological resources (Table 2). Table 3 contains statistical tests and oligonucleotides but is not scored. If SciScore makes any mistakes, please contact us to help us learn and improve.

Table 1: Rigor Adherence Table

Ethics
IRB: 11 Standard Protocol Approvals, Registrations, and Patient Consents This study was approved by the Ethics Committee of the Faculdade de Medicina de Botucatu, Universidade Estadual Paulista (Unesp) under the internal review board number CAAE 31021220.2.0000.5411.
Consent: All participants signed a written informed consent form before enrollment.
Inclusion and Exclusion Criteria
Inclusion criteria: (1) patients diagnosed according to the 2015 International Panel for NMOSD criteria 10 and (2) flu-like illness presenting a SARS-CoV2 positive test classified as a confirmed case (reverse transcription-polymerase chain reaction RT-PCR andor IgAIgM or IgG seropositivity), or clinical suspicion of COVID-19 diagnosed according to CDCCSTE case definition, 9 classified as a possible case.
Attrition
not detected.
Sex as a biological variable
not detected.
Subject Demographics
Age: In addition, demographic and clinical features of COVID-19 in pwNMOSD were compared with those reported for the general Brazilian population, using similar features as observed for patients with NMOSD (home treatment, hospital admission, intensive care unit ICU admission, death, sex, age range 15-59 years, and comorbidity).
Randomization
not detected.
Blinding
not detected.
Power Analysis
not detected.

Replication
not required.
Cell Line Authentication
not detected.
Data Information
Availability: Data Availability Anonymized patient data are available on request.

Table 2: Key Resources Table

Your Sentences	REAGENT or RESOURCE	SOURCE	IDENTIFIER
Experimental Models: Cell Lines			
The anti-MOG IgG was detected using an in-house CBA in live human embryonic kidney (HEK)-293 cells as described elsewhere.	HEK)-293		Suggestion: RRID:CVCL_0045(link)

Other Entities Detected

Your Sentences	Recognized Entity
Statistical Tests	
The comparison of means between groups home treatment and hospital admission was made using the Student t test.	t test
In addition, the clinical outcome of COVID-19 in patients with NMOSD was compared with the Brazilian general population, using the 2-tailed Fishers exact test, estimating the OR and the 95 CI.	Fishers exact test

SciScore is an automated tool that is designed to assist expert reviewers by finding and presenting formulaic information scattered throughout a paper in a standard, easy to digest format. ***SciScore is not a substitute for expert review.*** SciScore also checks for the presence and correctness of several unique identifiers, including RRIDs (research resource identifiers) in the manuscript, detects sentences that appear to be missing RRIDs, and can even suggest RRIDs under certain circumstances. **All RRID suggestions should be verified;** only the author can know whether the suggestions are correct.

For a full description of scored criteria and tips for improving your score, please see https://www.scicrunch.com/sciscorereport-faq